THE PLANT DISEASE REPORTER

Issued by

CROPS RESEARCH DIVISION

INDEX TO VOLUME 44

Prepared by Nellie W. Nance

Crops Research Division
Volume 44

Plant Industry Station, Beltsville, Maryland
Index Number

AUTHOR INDEX

AICHELE, MURIT D., (438), (767), (904)
ALLEN, ROSS M., 246
AL-SOHAILY, IBRAHIM A., 113
ALTMAN, JACK, 317, 868
ANDERSON, H. W., (82)
ANDERSON, NEIL A., 286
ANDERSON, RALPH L., 132, (348)
ANDREWS, STUART R., 373
APT, WALTER J., 524
ARAGAKI, MINORU, 318, (761), 865
ARK, PETER A., 98, 100, 102, 197, 200, 204
ATKINS, J. G., 390
AUSTENSON, H. M., (524)
AYCOCK, ROBERT, 934
AYOUB, SADEK M., 755

BAIN, DOUGLAS C., 190
BAINES, R. C., 281
BANTTARI, E. E., 154
BARR, JOHANNA T., 617
BATRA, LEKH R., 430
BEACHELL, H. M., (751)
BEGA, R. V., (669)
BERAHA, LOUIS, 82, (212), (424), (692)
BERGER, CARLOS A., (566), (841)
BERRY, FREDERICK H., 716
BISHOP, GUY W., (592)
BITTERS, W. P., (281)
BLODGETT, EARLE C., 438, 767, 904
BOEWE, G. H., 372
BONDE, REINER, (235)
BOOSALIS, M. G., 815
BORING, J. MILTON, (765)
BOTTINI, A. T., (200)
BOWERY, T. G., (733)
BOYCE, JOHN S., Jr., 351
BOYLE, L. W., (609)
BRAGONIER, W. H., (192)
BRANN, J. L., (269)
BRAUN, A. J., (560)
BREECE, JAMES R., (488)
BRENNAN, E., (20)
BRETT, CHARLES H., (886)
BRIERLEY, PHILIP, 463, (707)
BRODIE, BILL B., 800
BROWN, R. T., (180)
BUCKNER, GUY L., Jr., (532)
BURNETT, HARRY C., 505, 765

CAFFEY, H. R., (19)
CAIRNS, ELDON J., (479)
CALLBECK, L. C., 68
CAMERON, H. RONALD, 139
CAMPANA, RICHARD J., (163), 908
CAMPBELL, LEO, 804
CAMPBELL, ROBERT N., 625
CAMPBELL, W. A., (89)
CAPPELLINI, RAYMOND A., 862
CARLTON, C. C., (136)
CARLTON, R. C., (390)
CARPENTER, J. B., (858), 916, (920)
CARTER, J. C., (163)
CASTILLO, B. S., (536)
CASTILLO, MANLIO, (764)
CATION, DONALD, 695
CEPONIS, M. J., 29
CETAS, R. C., 465
CHAMBERLAIN, D. W., (952)
CHAMBERLAIN, G. C., (273)
CHAPMAN, R. A., (159)
CHAVES, GERALDO M., 877
CHIARAPPA, LUIGI, 612
CHILDS, J. F. L., 920
CHITWOOD, B. G., 841, 848
CLARKE, O. F., (281)
CLERK, G. C., 931
COCHRAN, L. C., (87)
COHEN, MORTIMER, 578
COLE, JOHN R., 251
COLLIER, JACK W., (679)
CONNERS, I. L., 373
CONVERSE, R. H., 948
COOPER, W. E., (189), (733), (800)
COUCH, HOUSTON B., 506
COURTNEY, WILBUR D., (524), (804)
CREAGER, DON B., (568)
CREECH, JOHN L., (296)

DAHLGREN, DONALD A., (450)
DAINES, ROBERT H., 19, 20, 826
DALE, J. L., 206
DAVIDSON, ROSS W., (754)
DAVIS, D., 622
DEAK, J. E., (622)
DEAN, JACK L., 874
DeGUTIÉRREZ, LUCY HASTINGS, 294
DESAI, M. K., (487)

DeWOLFE, T. A., (309), (572), (858)
DICKASON, E. A., 501
DICKENS, L. E., 317, (828)
DIENER, URBAN L., 136
DOBSON, J. W., Jr., (172)
DOPSON, R. N., (390)
DRAKE, CHARLES R., 115
DRAKE, R. J., (580)
DREW, RICHARD H., (855)
DUFFUS, JAMES E., 406
DUNN, G. M., (912)
DURBIN, RICHARD D., 536
DYSART, RICHARD J., 952

ECKERT, J. W., 660
EIDE, CARL J., (698)
EINSPAHR, DEAN W., (132)
ENGELHARD, ARTHUR W., 192
ENGLISH, HARLEY, (265)
ERICKSON, HOMER T., (877)
ESYLN, WALLACE E., (373)

FEDER, WILLIAM A., (405), 883
FELDMAN, J. M., (595)
FERGUSON, JOHN, (552)
FERRER, JUAN B., 221
FEZER, K. D., 71
FISHER, R. W., 273
FITZGERALD, B. J., (868)
FITZGERALD, PAUL J., 359
FOOTE, F. J., (830)
FOOTE, W. H., (501)
FORBES, I. L., (519)
FORD, H. W., 405
FORD, R. E., 276
FORSYTH, F. R., 208
FRAZIER, NORMAN W., 12, 436
FRENCH, DAVID W., (286)
FRIEDMAN, B. A., (29)
FROSHEISER, F. I., (314)
FUMAGALLI, ASTOLFO, (220)
FURR, J. R., (916)

GAINES, JOHN G., 155
GALVEZ, GUILLERMO E., 80, 394
GARBER, M. J., (309), (510), (710)
GARRISS, H. R., (14), (527)
GERDEMANN, J. W., 877
GILL, D. L., 946
GILMER, R. M., 395
GILLESPIE, WILLIAM H., 687
GIRARDEAU, J. H., Jr., 48
GRABON, GEORGE, (789)
GRAHAM, J. H., 59, 534
GRANT, THEODORE J., 426
GRAVES, CLINTON H., Jr., 129
GREELEY, LESTER W., (752)
GROGAN, R. G., (872)
GUENGERICH, H. W., (260)
GUTHRIE, JAMES W., 340, 592

HABECK, DALE H., 886
HAENSLELER, C. M., (19), (20)
HAGEN, IRVIN K., (724), (802)
HALISKY, P. M., 120, (603)
HART, JOHN H., 806
HARVEY, JOHN M., (837)
HAWKSWORTH, FRANK G., 72
HEGGESTAD, H. E., (303)
HEINIS, JULIUS L., 630
HELTON, A. W., 546
HENDERSON, W. J., (317), (828)
HILDEBRAND, E. M., 707
HIMELICK, E. B., 109
HINDS, THOMAS E., (72)
HODGES, C. S., (527)
HOFF, JOHN K., 333
HOLLIS, JOHN P., (840)
HOLMES, FRANCIS O., 46
HONMA, SHIGEMI, (550)
HOOD, J. R., (669)
HOPPER, B. E., 258
HOUSTON, BYRON R., (120)
HUNTER, R. E., 793
HUPPUCH, CHARLES D., 238
HURT, BEN C., Jr., (129)
HUSAIN, AKHTAR, 444
HUTCHINS, P. C., (405)
HUTCHINSON, M. T., 400
HYRE, R. A., 235

ILLMAN, WM. IRWIN, 297
ISHII, MAMORU, (318), 761, (865)
IVANOFF, S. S., 538

JACKSON, CURTIS R., 643
JENKINS, ANNA E., 596
JENKINS, J. MITCHELL, Jr., (934)
JENNINGS, PETER R., (80), (394), 751
JEWELL, F. F., 673
JOHNSON, E. M., 159
JOHNSON, H. G., (71)
JOHNSON, H. W., 19
JOHNSTON, C. O., 778
JONES, E. D., 809
JORANSON, PHILIP N., (132)

KAHN, ROBERT P., 296
KAVANAUGH, T., 591
KEANE, F. W. L., (240), (243), (326), (328), (331), (632), (633), (634), 636
KEENER, PAUL D., 629
KEIL, HARRY L., 253
KELMAN, ARTHUR, (432), 5[illegible]7
KEMP, W. G., (273)
KENKNIGHT, GLENN, 220
KESSLER, K. J., 348
KILPATRICK, R. A., 653
KIMBLE, K. A., 872
KING, T. H., (536)
KINGSLAND, GRAYDON C., 496
KLOTZ, L. J., 309, 572, 858
KNORR, L. C., (578), 662
KRAMER, C. L., 162
KULIK, M. M., 54, 379

LAMBE, ROBERT C., 718

LAMEY, H. A., (387)
LATTERELL, FRANCES M., 679
LAU, N. E., 402
LAUFFER, C. H., (390)
LEACH, CHARLES M., 364
LEAPHART, CHARLES D., (655), 704
LEATHERS, CHESTER R., 372
LEONE, I., (20)
LEPPIK, ELMER E., 40, 184
LETT, LEONARD, (189)
LIGHTLE, P. C., (45), 423
LINDBERG, G. D., (390)
LINE, RONALD F., 698
LINN, M. B., (82)
LIPTON, WERNER J., 837
LOGSDON, CHARLES E., 92
LOTT, T. B., 240, 243, 326, 328, 331, 630, 633, 634
LOWNSBERRY, B. F., 690
LUKENS, R. J., 672
LUTTRELL, E. S., 609

MACHACEK, J. E., 290
MAGIE, A. R., (120)
MAHADEVAN, A., 943
MAIER, CHARLES R., (793), 956
MALAGUTI, GINO, (662)
MALO, SIMÓN, 217
MALOY, OTIS C., 36
MANKIN, CLEON J., (113)
MANN, A. J., (633)
MANZER, F. E., (235)
MARSHALL, H. G., 894
MARTIN, R. D., (603)
MARTIN, W. J., 216
MARUZZELLA, JASPER C., 789
MATTHEWS, FREDERICK R., (46)
MAY, CURTIS, 754
McFADDEN, LORNE A., 568
McFARLIN, J. R., (505)
McGUIRE, JUDSON U., (387)
McINTOSH, D. L., 262
McKINNEY, H. E., (51), (354)
McKINNEY, H. H., 752
McLEAN, D. M., 585, 738
McMILLIAN, WILLIAM W., 387
McONIE, K. CAMERON, (566)
MECKSTROTH, G. A., (383)
MELVIN, C. F., (383)
MEREDITH, DONALD S., 618, 808
MICHEL, L. J., (780)
MILLER, J. H., (89)
MILLER, P. W., 702, 796, 919
MILLER, PAUL R., 5, 222, 297, 451, 597, 673, 878, 962
MILLIKAN, D. F., 260
MINTON, EARL B., 479
MINZ, G., 147
MITCHELL, JOHN W., (684)
MOORE, J. N., (370)
MOORE, LAURENCE D., (506)
MOORE, M. B., (154)
MORGAN, O. D., (399)
MORTON, DONALD J., 23, 724, 802
MOTSINGER, RALPH E., 399
MUMFORD, D. L., (591)
MUNNECKE, DONALD E., 552
MURAKISHI, HARRY H., 186, 550

NAUER, E. M., (858)
NEAL, D. C., 478
NEELY, DAN, (109), 163
NELSON, ROY A., (246)
NEWHALL, A. G., 269, 332, (333)
NEWSOM, L. D., (390)
NEWTON, R. C., (59), (534)
NICHOLS, LESTER P., 417
NICKLE, W. R., 470
NICOLSON, T. H., 774
NIELSON, L. W., 342, (886)
NIGH, EDWARD L., Jr., 288
NITZANY, F. E., 144
NULAND, D. S., (901)
NULAND, DAVID, (744)
NUQUIST, W. E., 126

O'BANNON, JOHN H., (441), 484
O'BRIEN, MURIEL J., 834
OGAWA, JOSEPH M., 265
OSHIMA, NAGAYOSHI, 828
OSTAZESKI, STANLEY A., 66
OWEN, J. H., 89

PADGETT, W. H., (258)
PALTI, J., (147), (448)
PARMETER, J. R., Jr., 669
PERSON, L. H., (491)
PERSONS, T. D., (390)
PETERSEN, D. H., 891
PETERSON, G. A., (23)
PETERSON, GLENN W., 744
PETURSON, B., (208)
PIERSON, C. F., 62
PINE, T. S., 87, 324
PLAKIDAS, A. G., (559)
PONTIS, R. E., 595
POPE, D. T., (342)
POWELL, DWIGHT, 176
PRAMER, D., (400)
PRESLEY, J. T., (472)
PURDY, LAURENCE H., 25

RACKHAM, R. L., (510), (830)
RAMSEY, G. B., (212), (424), 692
RATCLIFFE, T. J., (48)
RAYMER, W. B., (501)
REED, J. P., (400), (402)
REINHART, J. H., 648
RENFRO, B. L., 314
REYNOLDS, HAROLD W., 441, (484)
RHYKERD, C. L., (59)
RICH, AVERY E., 306
RICH, SAUL, 351, 353
RICHARDSON, LLOYD T., 104
RILEY, JOHN A., Jr., (227)
RINKOV, A., 510, (830)
ROANE, C. W., 696
ROCHOW, W. F., 940
ROISTACHER, C. N., (858)
ROSEDALE, D. O., (309)

ROSENBERG, DAN Y., (488)
ROSINSKI, MARTIN, (908)
ROWAN, SAMUEL J., 646

SACKSTON, W. E., 664
SAKSENA, H. K., 697
SANCHEZ, ANTONIO, 721
SASSER, J. N., 728, 733
SCHAREN, A. L., (815)
SCHEIN, RICHARD D., (894)
SCHENCK, N. C., 556
SCHIEBER, EUGENIO, 71, 220, 672, 721, 722, 764
SCHNATHORST, W. C., 603
SCHNEIDER, C. L., 742
SCHUSTER, MAX L., (896), 901
SCOTT, D. H., (370)
SCRANDIS, DENIS A., (789)
SCRANDIS, JOSEPH B., (789)
SEAMAN, A.. 214
SEGURA, C. BAZÁN de, 256, 257
SHAW, CHARLES GARDNER, 655
SILBER, GUSTAVE, 303
SILL, W. H., Jr., 487
SIMONS, M. D., 780
SINCLAIR, J. B. 180, 474, (478)
SITTERLEY, WAYNE R., 134, 532, 533
SMALE, BERNARD C., 684
SMITH, ALBERT L., (189), (479)
SMITH, FLOYD F., (463)
SMITH, HARLAN E., 189
SMITH, M. A., (212), (424), (692)
SMITH, PAUL F., (426)
SMITH, T. E., 72, 77, 435
SMOOT, J. J., 383
SNYDER, WILLIAM C., 566
SOSA, OSCAR NERY, (71), (672), (722)
SOWELL, GROVER, Jr., 587
SPEERS, CHARLES F., (351)
SPINK, W. T., (390)
STAFFELDT, E. E., (793), (956)
STALEY, J. M., (430)
STEELE, ARNOLD E., (446)
STEIB, R. J., (519)
STESSEL, G. J., (133)
STODDARD, E. M., (672)
STORM, LEONARD W., 450
STORM, NANCY S., (450)
STRIDER, D. L., (491), 955
STROBEL, GARY, (92)
STRONG, FORREST C., 396
STUCKEY, IRENE H., 133
SUDIA, THEODORE W., (312)

TAMIMI, S. A., 912
TARJAN, A. C., 31, 574
TASCHENBERG, E. F., 560
TAYLOR, DONALD P., (543), 747
TAYLOR, JACK, 172
TEMPLETON, G. E., (206)
THAYER, P. L., 167
THOMASON, IVAN J., 51, 354
THOMPSON, HUGH E., (162)
THOMPSON, JAMES P., (98), (100), (102), (197), (200), (204)
THURSTON, H. DAVID, (80), (394)
TIMIAN, R. G., (359), 771
TIMS, E. C., (54), (379)
TODD, EDWIN H., 153
TOOL, EVERETT, (724), (802)
TOOLE, E. RICHARD, 45, 783, 784
TOUNG, MO-CHU, (848)
TRAYLOR, JACK A., (117)
TRUJILLO, E. E., (566)
TSAO, PETER H., (660), 710
TUCKER, HENRY, (246)
TULLIS, EDGAR C., (679)
TURNER, P. D., 221

UZZELL, GROVER, Jr., (728)

VALLEAU, W. D., (159), 928
Van der ZWET, T., 519
Van GUNDY, S. D., (354), 510, 830
VANTERPOOL, T. C., 362
VARNEY, E. H., 370
VOLCANI, ZAFRIRA, 448

WADSWORTH, D. F., 516
WAGNON, H. KEITH, 117, 488
WALKER, J. T., 94
WALLACE, H. A. H., (291)
WALLACE, JAMES M., 580
WALLEN, V. R., 596
WALLIN, JACK R., 227, 896
WEAVER, L. O., 179
WEBB, RAYMON E., (834)
WEIBEL, R. O., (877)
WEIHING, JOHN L., (744)
WEINBERGER, JOHN H., (117)
WELLS, HOMER D., (66)
WELSH, MAURICE F., (636)
WERNHAM, CLIFFORD C., (496), 498
WHIDDEN, RODNEY, (465)
WHITLOCK, LEIGH S., 446
WILCOXSON, ROY D., 312, (314), 594
WILES, ALFRED B., 419, 472
WILKINSON, R. E., (332)
WILLIAMS, HAROLD E., (117), (324), (488)
WILSON, CHARLES L., (687)
WILSON, J. D., (94)
WILSON, ROY A., (253)
WINSTEAD, N. N., 14, 432, 491
WOLF, FREDERICK A., 62
WOOD, FRANCIS A., 594
WOODBRIDGE, C. G., 855
WRIGHT, W. R., 212, 424, (692), 820
WYLLIE, THOMAS D., 543

YARWOOD, C. E., 639
YOUNG, H. C., Jr., (516)
YOUNG, P. A., 170

ZAUMEYER, W. J., 459
ZENTMYER, GEORGE A., 819
ZUCKERMAN, BERT M., 409, 416
ZUMMO, NATALE, 559

SUBJECT INDEX

Aabiton, 290
Abies fraseri: susceptibility to black root rot, 647
Abutilon theophrasti: tobacco ringspot virus, new host, mechanical inoc., 952
Acalymma vittata, 134
Acer spp.: blight, 349; dieback, 349, 350
--- rubrum: peach rosette virus, 220
--- saccharinum: Clitocybe mushroom root rot, 89
--- saccharum: sapstreak disease, 348
Aceratagallia sanguinolenta, 888
"Achaparramiento", see stunt, of corn
Acorn disease, see stubborn disease
Acremoniella atra, 367
Acremonium spp., 594
Acti-dione= beta(2-(3,5-dimethyl-2-oxocyclohexyl)-2-hydroxyethyl)-glutarimide, 38, 396, 866
Acti-dione RZ, see under cycloheximide
Acti-spray, 396
Aeglopsis chevalieri: Tylenchulus semipenetrans, free of, 281
Afghanistan, 42
Afraegle paniculata: Tylenchulus semipenetrans, free of, 281
Africa, 148
Agrimycin (15% streptomycin and 1.5% oxytetracycline plus inert ingredients), 142, 698
Agrobacterium tumefaciens, 100, 102, 197, 200, 201, 552
Agrosan GN, 445
Agrosol, 290
Agrostis palustris: Sclerotinia dollar spot, 506
Agrox C (phenyl mercury acetate and ethyl mercury chloride), 290, 664
Alabama, 45, 136, 189, 258, 423, 479, 779
Alaimus sp., 259
Alaska, 92
Alberta, 664
Aldmer, 290
Aldrin, 104
Aleurites fordii, Cercospora leaf spot, 190
Alfalfa (see also Medicago sativa): Helicotylenchus microlobus, negative rept., 750; Phytophthora cryptogea, 661; root and stem rot, 817; Sclerotinia sclerotiorum, 862; Sclerotinia trifoliorum, 862; Uromyces medicaginis, 373
--- varieties: root knot nematodes, reaction of varieties to, 441
Almond: blossom blight and green fruit rot, 265
Alternaria sp(p.), 93, 823, 901
--- cucumerina, 492, 494, 557
--- dauci, 492
--- longipes, 63
--- porri, 493
--- rot, of apple, 30
--- solani, 160, 308, 493, 495, 622
--- tenuis, 43, 367, 416, 666
--- tenuissima, 416
--- tomato, 493, 495
Amaranthus retroflexus: Rhizoctonia solani, susceptibility in irrigated fields in Nebraska, 815
Amitrol, 524
Ammonium nitrate, 518
Anguina agrostis, use of herbicides to break life cycle of, 524
Angular leaf spot, of bean, 492; cotton, 603; cucumber, 492; Sesamum indicum, 221; tobacco, 159, 160
Anthracnose, of Carica papaya, 318; Citrus, 318; cucumber, 492; eggplant, 493, 494; Mangifera indica, 318; pepper, 493; Persea americana, 318; tobacco, 159; tomato, 297, 493, 495; Trifolium pratense, 315; watermelon, 493, 494, 556
Anthurium andraeanum: spadix rot in Hawaii, 865
--- scherzerianum: Colletotrichum gloeosporioides, 865
Anticarie, 25, 290
Antirrhinum majus: stem and branch rot, 946; tobacco ringspot virus, 463
Aphanomyces euteiches, 5
Aphelenchids, 259
Aphelenchoides, 402, 480
--- bicaudatus, 842
--- coffeae, 842
--- fragariae, 288
Aphelenchus, 402
--- avenae, 843
Aphis craccivora, 928
--- gossypii, 12, 593, 766
--- spiraecola, 766
Apparatus, for inoculating sugarcane with the mosaic virus, 874
Apple: Alternaria rot, 30; bitter rot, 318; black rot, 30; blue mold rot, 30; bruising by strong winds, 179; bull's-eye rots, 6; fly speck, 255; Gloeosporium fructigenum, 395; gray mold rot, 30; internal breakdown, 29; powdery mildew, 253; rasp leaf or leaf enation (virus), 634; scab, 176, 255, 306; scar skin, 260; sooty blotch, 255; stem pitting (virus), evaluation of flowering crab and other apple clones for detection of, 767; tip die-back, 767; twisted leaf virus, 240; virus, negative transmission through seeds, 695; water core, 29
Apricot: blossom blight and green fruit

(Apricot) rot, 265; crown gall, control with antibiotic drenches, 197; method to induce galls on with Agrobacterium tumefaciens, 100; ring pox (virus), 242, 243; twisted leaf virus, 240
Arachis hypogaea: pyroid (root knot) nemas, 848
Arasan, 444
Arasan 42-S, 271
Arasan 75, 269
Argentina, 595, 663
Argyrotoxa semipurpurana, 430
Aristida adscenscionis: Puccinia stakmanii, negative reaction, 78
Arizona, 189, 246, 372, 441, 450, 484, 617, 629, 692, 830
Arkansas, 71, 189, 206, 391, 516, 681, 689, 779, 783, 799
Armillaria mellea, 91, 891, 892
Artemisia dracunculus: Meloidogyne spp., dry heat treatment, 354; Meloidogyne hapla, 1st rept. on this host (Calif.), 358
--- vulgaris: crown gall, 102
Arthrobothrys, 400
Artichoke: Botrytis cinerea, 837
Ascochyta caulicola, 315
--- gossypii, 189
--- imperfecta, see Phoma herbarum var. medicaginis
--- meliloti, 315
--- phaseolorum 492, 493, 495
--- pinodella, 366, 805
--- pisi, 364, 366
Ashy mold, of tobacco, 930
Ashy stem blight, of bean, 492
Asia, 148, 435, 679
Asia Minor, 42
Asparagus: rust, development of, in relation to temperature and moisture, 82
Aspergillus sp., 200, 367, 467, 622; on Trigonella foenum-graecum, 43
--- candidus, 594
--- niger, 594, 908, 934, 938
Aspidiotus perniciosus, 613
Asterina indecora, 505
Asterolecanium sp. (probably variolosum), 351
Atalantia citroides: Tylenchulus semipenetrans, 281
Aureobasidium pullulans, 658
Australia, 98, 435
Avena sativa: pyroid (root knot) nemas, 848
Avocado, see Persea americana

Bacteria, 395
Bacteria and yeasts, on Castanea spp., 823
Bacterial black stalk, of tobacco, 930
Bacterial blight, of bean, 742; celery, 167; cotton, 189; eggplant, 742; Euphorbia pulcherrima, 568; Gomphrena globosa, 742; lettuce, 742; pepper, 742; Sesamum indicum, 742; southern pea, 493; spinach, 742; sugar beet, 742; Tetragonia expansa, 742; Trifolium pratense, 315
--- canker, of tomato, 493, 495
--- knot, of Olea europaea, 197
--- rind necrosis, of watermelon, 761
--- scab, of Gladiolus, 417
--- soft rot, of pepper, 493, 495; shallot, 934
--- spot, of peach, 131, 136, 826; pepper, 172, 493, 494; tomato, 493
--- stem blight, of Medicago sativa, 314
--- wilt, of corn, 372; cucumber, 492; eggplant, 432, 448, 493, 494; Medicago sativa, 314; pepper, 448; potato, 448; tobacco, 448; tomato, 448
Bacterium, 908
--- stewartii, 372
Balsamocitrus dawei: Tylenchulus semipenetrans, free of, 281
Banana: black spot, 618; finger-tip infection ("black-tip") of fruits, 618; fruit spot ("speckle", "swamp-spot"), 618, 808
---, Cavendish: cucumber mosaic virus, 145
Barbados cherry, see Malpighia
Barley: aster yellows virus, transmission of, 154; covered smut, 290; downy mildew, 1st rept. on this host in Arkansas, 207; Helicotylenchus microlobus, 747; Hoplolaimus tylenchiformis, 401; loose smut, embryo test for, 802; loose smut epidemic in Minnesota, 71; Pratylenchus pratensis, 401; Septoria leaf blotch, 23; smut trials, 293; spot blotch, 23; strains of the barley stripe mosaic virus, 752; Ustilago nuda, improved method of disinfecting seed, 724, modification and adaptation of Popp's technique to routine detection of, 591; yellow dwarf (virus), 501
Basic copper sulfate, 38, 955
B.B. 67, 382
Bean: angular leaf spot, 492; Ascochyta leaf spot, 492; ashy stem blight, 492; bacterial blight, 742; Fusarium root rot, 492, 804; Heterodera glycines, 492; leaf spot, 491, 492; Meloidogyne incognita acrita, 492; Pellicularia filamentosa, 92; Phyllosticta leaf spot, 492; Pratylenchus penetrans, 492; Pythium wilt, 492

--- Rhizoctonia, 92
--- Rhizoctonia root rot, 492
--- Rhizoctonia solani, 815
--- root rot, 491
--- rust, 491, 492
--- rust, a new race in Maryland, 459
--- rust, aecial stage, 1st rept. from New York State, 809
--- Sclerotinia sclerotiorum, 92
--- Sclerotinia stem rot, 804
--- southern blight, 492
--- stunt (nematodes), 492
--- tobacco necrosis virus, 639
--- tobacco ringspot virus, 738
--- web blight, 492
---, lima: downy mildew, 684
---, lima: tobacco ringspot virus, 738
Beet: cucumber mosaic virus, 144
---, sugar: bacterial blight, 1st rept. on this host from Maryland, 742; control of nematodes by late fall application of fumigants, 868; crown rot, 817; cucumber mosaic virus, 144; Helicotylenchus microlobus, 747; radish yellows virus, 407; tobacco necrosis virus, 640
Belonolaimus longicaudatus, 733
Bemisia inconspicua, see B. tabaci
--- tabaci, 48, 249, 931
Benzene, 561
Bermuda grass, see Cynodon
Beta-propiolactone, 702
Big vein, of lettuce, 352, 617
Birdsfoot trefoil, see Lotus corniculatus
Bitter rot, of apple, 318
Blackheart, of celery, 92
Black mold, of shallot, 934, 938
Black root rot, of tobacco, 160
Black rot, of apple, 30; cabbage, 491, 492; grape, 560
Black shank, of tobacco, 62, 155, 159, 303, 929
Black spot, of banana, 618
Black stem, of Medicago sativa, 314; Melilotus spp., 315
--- --- and leaf spot, of Trifolium pratense, 315
Black streak, of sugar beet, see under bacterial blight
Blast, of rice varieties, 679
Blight, of maple, 349; Pilea mucosa, 697
Blossom blight and green fruit rot of almond, apricot, plum, 265
Blueberry, see Vaccinium
Blue mold, of Spinacia oleracea, 834; tobacco, 159
Blue mold rot, of apple, 30
Boleodorus, 402
Boll rots, of cotton, 189
Book reviews: The Diseased Plant, edited by J. G. Horsfall and A. E. Dimond, 222; The Diseased Population -- Epidemics and Control, by J. G. Horsfall and A. E. Dimond, 878; Diseases and Pests of Ornamental Plants, by P. P. Pirone, B. O. Dodge, and H. W. Rickett, 597; The Pathogen, by J. G. Horsfall and A. E. Dimond, 451; Plant Disease Handbook (Revised Second Edition) by Cynthia Westcott, 962; Plant Pathology Laboratory Manual, second edition, by J. P. Fulton and others, 878; Vegetable Diseases and Their Control, by Charles Chupp and Arden F. Sherf, 673
Bordeaux mixture, 69, 139, 142, 251, 309
Botryodiplodia, 669
Botryotinia squamosa, 586
Botrytis spp., 594
--- allii, 934, 935
--- anthophila, 366
--- cinerea, 30, 43, 92, 93, 265, 364, 366, 493, 495, 644, 664, 837; of pepper, 93
--- squamosa, 585
Bottom rot, of cabbage, 492
Bouteloua aristidoides: Puccinia stakmanii, 77
--- barbata: Puccinia stakmanii, 77
--- curtipendula: Puccinia stakmanii, negative reaction 78
--- gracilis: Puccinia stakmanii, negative reaction, 78
Brachysporium torulosum, see Deightoniella torulosa
Branch rot, of Antirrhinum majus, 946
Branch and stem canker, of cacao, 672
Brassica campestris var. annua: ring spot, 1st rept. on this host in Canada, and 1st rept. on crucifers in Saskatchewan, 362
Brazil, 681, 877
Bremia lactucae, 93
Brevipalpus californicus, 663
--- phoenicis, 662
British Columbia, 240, 262, 326, 328, 331, 409, 632, 633, 634, 636
Bromus inermis: brown leaf-spot, 912
Brown leaf-spot, of Bromus inermis, 912
Brown leaf spot, of Medicago sativa, 314, 316
Brown patch, of Lotus corniculatus, 115
Brown rot, of Citrus spp., 578; peach, 130
Brown spot, of Medicago sativa, 314; tobacco, 63
Bruising, of apples by strong winds, 179
Bull's-eye rots, of apple, 6
Bunchosia glandulifera: Cercospora bunchosiae, 505

Bunt, of wheat, 26, 290
Bunt-No-More, 290
Burma, 681
Button rot, of potato, 93
Butyl alcohol, 198

Cabbage: black rot, 491, 492; bottom rot, 492; club root, 492, control of, 14; damping off, 492; downy mildew, 492; Fusarium sp., 92; Hormodendron sp., 92; Rhizoctonia solani, 91; root knot, 492; soft rot, 92; wire stem, 14, 492; yellows, 492
Calcium cyanamide, 518
California, 12, 51, 87, 98, 100, 117, 120, 126, 189, 197, 200, 204, 265, 281, 288, 309, 324, 341, 354, 406, 436, 446, 488, 510, 529, 552, 566, 572, 580, 603, 612, 639, 660, 669, 692, 710, 742, 755, 779, 819, 830, 837, 858, 872, 907, 916
California Spray ML-372, 506
California Spray ML-373, 506
Calogreen, 417
Calomel, 417
Camarosporium juniperinum, 529
Camellia: petal blight, 559
--- japonica: Hemicriconemoides gaddi, 446
--- sinensis: pyroid (root knot) nemas, 848
Canada, 362
Candida sp., 367, 594
Canker, of coffee, 566; of Populus grandidentata, 132; of Populus tremuloides, 132; of Quercus virginiana, 754
Cantaloupe: Alternaria leaf spot, 492, 494; Cercospora leaf spot, 492; downy mildew, 372, 492; fruit rot, 492, 494; gummy stem blight, 492; powdery mildew, 492; root knot, 492; tobacco ringspot virus, 738
Canuck Liquid Mercury Concentrate, 290
--- Mercury Aldrin, 290
--- Organic Mercury, 290
Capsella bursa-pastoris: radish yellows virus, 407
Capsicum annuum: Colletotrichum blight, 697
--- frutescens: pyroid (root knot) nemas, 848
Captan (Orthocide 75) (N-trichloromethylmercapto-4-cyclohexene-1,2-dicarboximide), 14, 21, 38, 64, 104, 130, 136, 168, 176, 253, 270, 306, 318, 444, 445, 467, 474, 826, 866, 935
Carbamic acid, thiono-, isopropyl ester, 385
Carbanilic acid, m-chloro-, isopropyl ester, 385
--- p-chloro-, ethyl ester, 385
--- 1-methoxy-, 2-propyl ester, 385
--- 2-methoxy-, propyl ester, 385
--- propyl ester, 385
--- thiono, p-methoxy-, ethyl ester, 385
Carbon and light sources, influence on cultural characters of Fusarium lycopersici, 943
Carica papaya: anthracnose, 318; Colletotrichum gloeosporioides, 866
Carneocephala flaviceps, 888
Carrot: Alternaria leaf spot, 492; Botrytis cinerea, 92; southern blight, 492; Stemphylium radicinum, 92
Carthamus tinctorius: Botrytis cinerea, in seed of, 664; cucumber mosaic virus, 145; Pseudomonas aptata, negative rept., 743; Sclerotinia sclerotiorum in seed, 664; Verticillium wilt, seed transmission, 901
Castanea spp.: Alternaria, 823; bacteria and yeasts, 823; Cladosporium spp., 823; Cytodiplospora castanea, 820; Dothiorella sp., 820; Fusarium spp., 823; Macrophoma spp., 823; Papulospora spp., 823; Penicillium spp., 823; Pestalotia spp., 820, 823; Phoma castanea, 820; Phomopsis spp., 823; Rhizopus spp., 823
--- dentata: chestnut blight, 754; Endothia parasitica, resistance to, inoc. experiments, 716
--- henryi: Endothia parasitica, resistance to, inoc. experiments, 716
--- mollissima: Endothia parasitica, resistance to, inoc. experiments, 716
--- sativa: Endothia parasitica, resistance to, inoc. experiments, 716
Cauliflower: club root, 805
CD-1465, 68
Cedar blight, of Juniperus virginiana, 744
Celery: bacterial blight, 167; blackheart (physiological), 92; early blight, 167; late blight, 92
Cenangium singulare, 373
Central America, 679
Cephaleuros virescens, 505
Cephalosporium sp(p.), 333, 367, 594
--- diospyri, 45
--- gramineum, 877
--- stripe, of small grains in Illinois, 877
Cephalothecium sp., 367
Ceratocystis sp., 566
--- coerulescens, 348, 626
--- fagacearum, 6, 192, 687, observations on sporulation, 286
--- fimbriata, 566, 626, 672
--- ips, 626; on Pinus banksiana, and P.

(Ceratocystis) resinosa, 626
--- moniliformis, 626
--- piceae, 626
--- pilifera, 626
--- pluriannulata, 626
--- ulmi, 161, 162, 163, 806, 908
Ceratostomella paradoxa, on pineapple, 519
Cercospora sp., 316
--- aleuritidis, 190
--- apii, 63, 167
--- bunchosiae, 505
--- capsici, 493
--- citrullina, 492, 493, 557
--- davisii, 315
--- juniperina, 529
--- leaf spot, of Medicago sativa, 314; of pepper, 173
--- musarum, see Deightoniella torulosa
--- nicotianae, 160, 930
--- sequoiae, 529
--- sequoiae var. juniperi, 529
--- sesami, 221
--- sesamicola, 221
--- traversiana, 40
--- zebrina, 314, 315
Cereals, rose-grass and apple-grain aphids, 503
Ceresan, 444
Ceresan 75, 25, 290
Ceresan 100, 290, 293
Ceresan 100 and Setrete reduced germination in flax, 293
Ceresan 200, 290
Ceresan M (ethyl mercury p-toluene sulfonanilide), 25, 290, 664
Cerotoma trifurcata, 952
Ceylon, 446
Chaetocnema spp., 952
Chaetomium spp., 367, 594
--- globosum, survival, colonization and antagonism of induced mutants of, 774
Chamecyparis thyoides: susceptibility to black root rot, 647
Charlock, see Sinapsis
Chemagro C 272, 25, 382
Chemagro D-113, 25, 382
Chemical 18133, 399
Chemical injury, to Citrus, 385
Chemicals, action on wood-destroying fungi, 789
Chenopodium album: Pseudomonas aptata, negative rept., 743; Rhizoctonia solani, 818
Cherry (see also Prunus): twisted leaf virus, 243, host range, 240
---, sour: Gloeosporium fructigenum, 395
---, sweet: "dead bud" (Pseudomonas syringae), 139; Van variety seedlings superior to Bing variety as indicator for twisted leaf virus, 331
Chestnut blight, of Castanea dentata, 754
China, 681
Chipcote, 26
Chloranil, 104
Chloris virgata: Puccinia stakmanii, negative reaction, 78
Chlorogenic acid, in strawberry plants affected with crinkle and yellows viruses, 536
Chloropicrin, 14, 552, 948
Chlorosis, of peach tree, 317
Choanephora cucurbitarum, 492, 493, 494
Chokecherry, see Prunus virginiana var. demissa
Chromaphis juglandicola, 690
Chrysanthemum hortorum: crown gall, 100
Ciborinia sp.(?), 431
--- candolleana, 430
Cicadula ciliata, 771
Citrange: Tylenchulus semipenetrans, 281
Citrus sp(p.): anthracnose, 318; brown rot, 578; exocortis (virus), 180, 925; Fomes applanatus, 925; foot rot, 925; greasy spot, 925; green mold, 383; gummosis (cause unknown), 926; infectious variegation (virus) in Florida, 426; lepra explosiva (Brevipalpus obovatus) in Argentina and Paraguay, 663; methods of application of DBCP around living trees, 830; Phytophthora spp., 858, methods of soil infestation, watering, and assessing the degree of root infection, 710; psorosis (virus), 426, 926; rind spot (virus), 925; scaly bark form of psorosis (virus), 925; spreading decline (virus), 465; stem-end rot, 383; stubborn disease (virus), in Morocco, 920; tristeza (virus), 925, spread in Florida, 765; Tylenchulus semipenetrans, 281; withertip, 318; woody galls, associated with vein-enation virus, 580; xyloporosis (cachexia) (virus), 925; zoospore suspensions of Phytophthora spp. for investigations on diseases of, 572
--- aurantium: halo scab, association of Elsinoe fawcetti and Brevipalpus phoenicis, 662; pyroid (root knot) nemas, 848
--- grandis: wood pitting (cause undet.), 916
--- paradisi and x reticulata: wood pitting (cause undet.), 916
--- reticulata: exocortis disease, 180; wood pitting (cause undet.), 916
--- reticulata austera: pyroid (root knot) nemas 848

--- reticulata x C. sinensis: wood pitting (cause undet.), 916
--- seedlings, unbudded: wood pitting (cause undet.), 916
--- sinensis: chemical injury, 385; decay inhibitors for postharvest use on, 383; disinfestation of planting sites improves growth of navel orange trees on Troyer citrange rootstock, 309; exocortis disease, 180; pyroid (root-knot) nemas, 848; root rot, 309; wood pitting (cause undet.), 916
--- varieties, hybrids, species and relatives evaluated for resistance to Radopholus similis, 405
Cladosporium spp., 416, 823
--- carpophilum, 129
--- cladosporioides, 43, 367
--- cucumerinum, 201, 492, 494
--- effusum, 129
--- elatum, 367
--- fulvum, 160
--- herbarum, 43
--- herbarum var. citricolum, 663
--- vignae, 493, 495, 955
Clasterosporium carpophilum, 424
--- glomerulosum, 529
Clausena lansium: Tylenchulus semipenetrans, free of, 281
Cleome spinosa: tobacco necrosis virus, 639
Clitocybe mushroom root rot, in Georgia, 89
--- tabescens, 89, 891, 892
Clover, red, see Trifolium pratense
Clubroot, of cabbage, 14, 492; of cauliflower, 805
Cneoridium dumosum: Tylenchulus semipenetrans, 281
COCS, 560
Coffea sp(p).: branch and trunk canker in Guatemala, limiting factor in production, 566; Nectria sp., 566; nemic parasites in Guatemala, suggested control measures, 841
--- arabica: Meloidogyne exigua, 1st rept. on this host from Guatemala, 722; Pratylenchus coffeae, 1st rept. on this host from Guatemala, 722; pyroid (root knot) nemas, 848
--- arabica varieties arabica, bourbon, and pache: resistance of, to Meloidogyne exigua and Pratylenchus coffeae, 723
--- robusta: resistance to Meloidogyne exigua and Pratylenchus coffeae, 723
Colletotrichum sp., 316, 366
--- anthurii, 862
--- capsici, 492, 697
--- coccodes, 297
--- destructivum, 159, 314, 315, 316, 654
--- gloeosporioides, 318, 669, 865
--- lagenarium, 492, 493, 494, 556, 866
--- lindemuthianum, 201, 866
--- musae, 867
--- nigrum, 493
--- phomoides, 493, 495
Colloidox, 68
Colombia, 62, 80, 394, 672
Colorado, 72, 317, 424, 779, 828, 868
Connecticut, 353, 672
Control, of anthracnose of mango by fungicides, 318; of bacterial spot of peach with dodine-captan combination, 136; of bacterial wilt of potato by securing disease-free seed tubers, 449; of banana fruit-spot (Deightoniella torulosa), 808; of Belonolaimus longicaudatus on peanuts with DBCP and EN 18133, 733; of cedar blight of Juniperus virginiana with fungicides, 744; of Cladosporium spot of southern pea, 955; of clubroot and wirestem of cabbage, 14; of crown gall and olive knot with antibiotic drenches, in greenhouse, 197; of diseases of shallot, 934; of downy mildew of lima bean with phenacridane chloride and related compounds, 684; of early blight of celery in Florida with Dyrene, 167; of grape diseases with Phaltan, 560; of leaf blight of hawthorn, 396; of leaf and stem rust of wheat by zineb and inorganic nickel salts, 208; of mosaic of potato, by exclusion, 340; of needle blight of Juniperus virginiana, 531; of nemic parasites of coffee in Guatemala, 841; of Olpidium of lettuce by Terraclor, 352; of Phytophthora fragariae with soil fungicides, 948; of powdery mildew of greenhouse roses with polybutenes, 273; of pyroid nemas in Taiwan, 854; of root-knot nematode and aphid on tobacco, 399; of rose-mosaic virus by heat treatments, 46; of rusty spot of peach, 20; of seed-piece decay of potato, 698; of smut of onion, with granule formulations in greenhouse and field, 269, with liquid nabam and N-dure, 332; of soft root rot of flax by tetracycline, 214; of stripe smut on Poa pratensis with nabam, 672; of yellow dwarf virus of sweetpotato by heat treatment, 707
Co-op. Aldmer, 291
--- Hexa, 291
--- Organic Mercury, 291

Copper A, 142
Copper with lime, 560
Copper zinc chromate, 168
Corky root rot, of lettuce, 333
Corn: bacterial wilt, 372; cold reaction, 498; crazy top, 1st rept. on this host from Virginia, 696; Helicotylenchus microlobus, 747; Pythium sp., 161; seedling blights 498, influence of gibberellic acid on 312, variation in symptoms with changes in pathogen species, isolate and host genotype 496; stalk rot and smut, 498; stunt ("achaparramiento") (virus) in Guatemala, 764; synthetics for disease resistance, 498
Cornus florida: Clitocybe mushroom root rot, 89
Corrections, 373, 962
Corticium galactinum, 783
Corynebacterium insidiosum, 314
--- michiganense, 98, 200, 201, 202, 493, 495, 552
--- poinsettiae, 568
--- sepedonicum, 552
Corynespora cassiicola, 493, 495
Coryneum beijerinckii, see C. carpophilum
--- canker, of Vaccinium corymbosum, 409
--- carpophilum, 629
--- juniperinum, 529
--- microstictum, 409
Costa Rica, 71, 80, 294, 672, 681
Cotton: angular leaf spot, 603; anthracnose boll rot, 189; Ascochyta blight, 189; bacterial blight, 189, 800; boll rots, 189; damping-off, 288, 474; diseases, reduction in yield caused by, 189; Fusarium wilt, 189, 419; hadromycosis, 840; leaf crumple (virus), 246; Meloidogyne incognita acrita, Thimet and Disyston gave no control 288; nub root, seedling deterioration a factor in, 472; reaction of varieties to isolates of Xanthomonas malvacearum, 800; Rhizoctonia solani, 793, 956; root knot, 189, 288, DBCP for controlling, 484; root rot, 189; rust, 77; seedling diseases, 189; Thielaviopsis basicola, 956; Verticillium wilt, 189, 256, 435, evaluation of strains and progenies for resistance to, 419, nitrogen supplement in the Louisiana-Mississippi river delta as a control for, 478
Cotton seed treatment, with DBCP for controlling the root-knot nematode, 484
Cottony leak, of cucumber, 492
Cowpea, see Vigna
Crag Experimental Fungicide 224, 382
--- --- --- 5400, 382
Crataegus oxycantha var. pauli: leaf blight, control of, 396
Crazy top, of corn, 696
Crease stem, tomato, 170
Criconema, 470
Criconemoides sp(p.), 94, 96, 259, 402, 470, 842
--- gaddi, see Hemicriconemoides
--- rusticum, 470
--- sphaerocephalum, 471
Cronartium fusiforme, 673
--- ribicola, 6
--- strobilinum, 36
Crotalaria intermedia: tobacco ringspot virus, 738
Crown gall, of apricot, 197; of Artemisia vulgaris, 102; of Chrysanthemum hortorum, 100; of Helianthus annuus, 100, tuberosus, 102; of peach, 197; of tomato, 100
Crown and root rot, of Medicago sativa, 314
Crown rots, of Limonium sinuatum and L. bonduellii, 643; sugar beet, 817
Cryptospora longispora, 296
Cuba, 71, 80
Cucumber: angular leaf spot, 492; anthracnose, 492; bacterial wilt, 492; Cercospora leaf spot, 492; cottony leak, 492; downy mildew, 372, 492; fruit rot, 492; Fusarium wilt, 648; mosaic (virus) in Israel, 144; powdery mildew, 273; root knot, 492; scab, 492; tobacco necrosis virus, 639; tobacco ringspot virus, 463, 738
Culm rot, of oats, 538
Cunninghamella spp., 594
Cupressus arizonica: susceptibility to black root rot, 647
Cyamopsis tetragonoloba: tobacco ringspot virus, 738
Cycloheximide (Acti-dione) (beta[2-(3,5-dimethyl-2-oxocyclohexyl)-2-hydroxyethyl]-glutarimide), 38, 396, 866
--- derivatives, Acti-dione RZ, 506, 745; Acti-spray, 396
Cymadothea trifolii, 315
Cymbopogon citratus: eye spot, 721
Cynodon dactylon: Helminthosporium spp., 517; insect injury, 517; snow mold, 517; spring dead spot, 516; winter injury, 517
Cyprex, see dodine
Cytodiaporthe castanea, 821

Cytodiplospora castanea, 820, 821
Cytospora spp., 612, 908
--- canker, of Picea engelmanni, 72
--- leucostoma, 612
--- rubescens, 612

2,4-D injury, to tobacco, 930
DAC-649, 465
Daedalea confragosa, 787
Dahlia sp.: Pratylenchus coffeae, 1st rept. on this host in the U.S. (Michigan and California), 755
Dalapon, 524
Damping-off, of cabbage, 492; cotton, 288, 474
Datura stramonium: stem necrosis, 551
DBCP (1,2,dibromo-3-chloropropane), 480, 484, 510, 733, 830
D-D (1,3-dichloropene--1,2-dichloropropane), 479, 868
DDT (2, 2-bis(p-chlorophenyl)-1,1,1-trichloroethane), 391, 560
Deficiency diseases: boron deficiency of Vaccinium corymbosum, 855; minor-element deficiencies, principally zinc and iron of Citrus spp., 926; potash deficiency in tobacco, 930
Dehydroacetic acid, 64
Deightoniella torulosa, 618, 808
Delsan A-D, 417, 936
Deltocephalus sonorus, 888
Demeton, 501
Dextrose, 884
DHA-S, 60, 64
Diabrotica balteata, 134
--- undecimpunctata howardii, 134, 852
Diaporthe phaseolorum, 596
Dichlone (2,3-dichloro-1,4-naphthoquinone), 176, 318, 474, 664
Dieback, of Acer spp., 349, 350; apple, 767; Prunus domestica, 612; Quercus alba and Q. prinus, 351
---, boron deficiency, of Vaccinium corymbosum, 855
Dieldrin (1,2,3,4,10,10-hexachloro-6,7-epoxy-1,4,4a,5,6,7,8,8a-octahydro-1,4-endo-exo-5,8-dimethanonaphthalene), 104, 936
Dieldrisan, 291
Digitaria sp.: hoja blanca (virus), 751
--- sanguinalis: Panicum mosaic virus, 487; Piricularia spp., 679, 682
Dimethyl sulfoxide, 866
Dioryctria spp., 36
Diospyros virginiana: wilt, 1st rept. on this host in Okla., 45
Diplodia natalensis, 383
--- theobromae, 672
Diseases, caused by tobacco ringspot virus in lower Rio Grande valley, 738; of cereal crops in Virginia, 696; of cut greenery in Oregon, 718; of forage legumes in Minnesota, 314; of vegetables in North Carolina, 491
Disinfecting barley seed, for Ustilago nuda, improved method, 724
Disodium ethylene bisdithiocarbamate, see under nabam
Dissemination, of internal cork virus of sweetpotato, 886
Distichlis sp.: rust, 828
Distribution, of angular leaf spot in California, 605
Disyston, 288, 501
Dithane, 270, 382
Dithane D-14, (maneb), 332
Dithane (maneb) plus cerium nitrate, 382; plus nickel chloride, 382; plus titanium chloride, 382; plus zirconium nitrate, 382
Dithane Z-78, see zineb
Ditylenchus, 402
--- dipsaci, 288
--- procerus, 841, 842
DNBP, 525
2-dodecylisoquinolinium bromide, 318
Dodine (n-dodecylguanidine acetate), (Cyprex dodine 65-W) 168, 176, 251, 253, 744, 826, 865, 866
Dodine-captan combination, for control of bacterial spot of peach, 136
Dolichodorus heterocephalus, 884
Dorlone, 479
Dorylaimidae, 402
Dorylaimids, 259
Dorylaims, 219
Dorylaimus spp., 401
Dothiorella, 669, on Castanea spp., 820
Dothiorella quercina, 351
Dothiorella ulmi, 807, 908
Dow Compound M-244, 382
Dow Compound M-245, 382
Dowfume MC-2 (methyl bromide and chloropicrin), 948
Dowfume W-85, 479
Dowicide-A plus hexamine, 383, 385
Dowicide B (sodium 2,4,5-trichlorophenoxide), 934, 935
Downy mildew, of cabbage, 492; cantaloupe, 372, 492; cucumber, 372, 492; grape, 560; lettuce, 93; lima bean, control with phenacridane chloride and related compounds, 684; Medicago sativa, 314; small grains and grasses in Arkansas, 206; squash, 492, 494; tobacco, 6; watermelon, 372, 556
DuPont Spreader-Sticker, 563
Dutch elm disease, of Ulmus spp., 161 ff., 908

Dyrene (2, 4-dichloro-6-(o-chloroanilino)-s-triazine), 167, 176, 506, 865, 866, 955

Early blight, of celery, 167; potato, 308; tomato, 160, 308, 493, 495
Echinochloa colonum: hoja blanca (virus), 394, 751; Puccinia stakmanii, negative reaction, 78
--- crus-galli: Piricularia spp., 679
Ecuador, 672
EF35429, 68
Eggplant: anthracnose, 493, 494; bacterial blight, 742; bacterial wilt, 432, 448, 493, 494; Phomopsis blight, 493, 494; southern blight, 493; tobacco ringspot virus, 738
Egypt, 42
Elaeagnus angustifolia: Verticillium wilt, 1st rept. on this host (New Mexico), in U. S., 72
Eleusine coracana: Piricularia spp., 679
--- indica: downy mildew in Arkansas, 207
El Salvador, 71, 751, 764
Elsinöe sp., on sugarcane, 153
--- fawcetti, 662
Empoasca abrupta, 888
--- fabae, 888
--- fabalis, 48
Emmi, 26, 417
Emmi-heptachlor, 417
Emulsifiable Nemagon, 831
EN 18133 (O,O-diethyl O-2-pyrazinyl phosphorothioate), 733
Endothal (3,6-endoxohexahydrophthalic acid), 525
Endothia parasitica, 716, 754
End-o-thol, 142
Endria inimica, 771
England, 214
Entomosporium thuemenii, 396
Entyloma oryzae, 19
Epicoccum sp., on Vaccinium corymbosum, 416
--- nigrum, 367
Epidemic leaf-blighting, of California-laurel, 669
Eragrostis barrelieri: Puccinia stakmanii, negative reaction, 78
Erwinia spp., 493, 495, 698, on watermelon, 761
--- amylovora, 200, 201, 204
--- aroideae, 201, 761
--- atroseptica, 698
--- carnegieana, 761
--- carotovora, 92, 93, 200, 201, 698
--- tracheiphila, 492
Erysiphe cichoracearum, 273, 492, 494, 557, 595
--- graminis f. sp. tritici, 126
--- polygoni, 201, 315
Ethanol, 386
Ethione, 270
Ethiopia, 42
Ethyl mercury thiourea derivative, see under Lunasan
Euphorbia: Uromyces striatus, 184
--- cyperissias: Uromyces medicaginis, 373
--- pulcherrima: bacterial blight, 568
Europe, 67, 132, 148, 679
Exitianus exitiosus, 771, 888
Exocortis disease, of Citrus spp. and relatives, 180
Exosporium betheli, 529
--- deflectens, 529
--- glomerulosum, 527, 529
--- juniperinum, 529
Experimental Quaternary 3104, 142
Eye spot, of Cymbopogon citratus, 721

Fenugreek, see Trigonella
Ferbam (ferric dimethyl dithiocarbamate), 38, 318, 415, 560
Festuca spp.: Sclerotinia dollar spot, 506
--- arundinacea: downy mildew in Arkansas, 207; source of rose-grass and apple grain aphids, 503
Finger-tip ("black-tip"), of banana, 618
Finland, 529
Fire blight, of pear, 204
Flax: Helicotylenchus microlobus, negative rept., 750; seed rot (threshing injury), 290; seed-rot trials, 293; soft root rot, 214
Florida, 31, 36, 45, 66, 153, 167, 180, 219, 318, 383, 390, 405, 426, 465, 505, 556, 568, 574, 578, 643, 663, 679, 680, 681, 765, 779, 883
Fly speck, of apple, 255
Fomes annosus, 425
--- applanatus, 892, 925
--- lobatus, 892
--- subroseus, 892
Foot rot, of Citrus spp., 925; pea, 805
Forage legumes: field inoculation of, and temperature studies with Sclerotinia trifoliorum and S. sclerotiorum, 862; saprophytic fungi associated with seed, 367
Forecasting, bacterial wilt of corn, 372; late blight of potato, 227, 896, reevaluation of methods proposed for, 235
Formaldehyde, 332, 334
Fortunella crassifolia: Tylenchulus semipenetrans, 281
Fragaria ananassa: pyroid (root knot) nemas, 848
--- vesca: genetic abnormality in Idaho clone, 546; latent A strawberry virus,

(Fragaria) apparent inactivation of, in preliminary tests, 702
--- --- var. bracteata: genetic abnormality, related to leaf variegations, 549
Frogeye, of tobacco, 63, 160, 930
Fruit rot, of cantaloupe, 492, 494; cucumber, 492; tomato, 493, 495; watermelon, 493
Fruit spot, of banana, 618, 808
Fruit trees: method to induce galls on with Agrobacterium tumefaciens, 100
Fumazone, 735
Fumigants, for control of sugar beet nematodes, soil fungi and weeds, 868
Fungi, associated with forage legume seed, 364; collected from blueberry stems in Massachusetts, 416; immersion plate for isolation from soil, 594; heat treatments to destroy in infected seeds and seedlings of citrus, 858; sap-stain, found in Minnesota, 625; soil, late fall application of fumigants, for control of, 868; wood destroying, action of organic chemicals and essential oils on 789
Fungicide and nematocide tests, 1959, results of, 451
Fungicide treatments, postharvest, for decay in Anjou pears, 64
Fungicides, for control of cedar blight, 744
---: effect of soil fungicides upon soilborne bacteria and soil nitrogen, 552
--- tested for control of melting-out of Kentucky bluegrass and Sclerotinia dollar spot of seaside bentgrass, 506
---, evaluation for control of powdery mildew and other diseases of apple, 253
---, method of evaluating in the soil under controlled conditions, 648
---, soil, evaluation against Fusarium solani isolated from feeder roots of Citrus trees, 465
"Fusarial head blight", of wheat in Guatemala, 220
Fusarium sp(p.), 59, 186, 314, 315, 333, 366, 435, 491 ff., 534, 594, 618, 646, 654, 698, 823, 871, 908; on cabbage, 92; onion, 93; Taxus cuspidata nana, 133; Trigonella foenum-graecum, 43
--- bulb rot, of shallot, 934
--- damping-off, of lettuce, 92
--- dimerum, 294
--- graminearum, 312
--- lycopersici, influence of carbon and light sources on some cultural characters of, 943
--- moniliforme, 496
--- --- var. subglutinans, 496
--- nivale, 894
--- oxysporum, 366
--- --- f. batatas, 887
--- --- f. conglutinans, 492
--- --- f. cubense, 465
--- --- f. cucumerinum, 648
--- --- f. lycopersici, 160, 493, 622
--- --- f. nicotianae, 929
--- --- f. niveum, 493, 494, 557
--- --- f. vasinfectum, 419
--- root rot, of bean, 492; Ladino white clover, 534
--- roseum, 364, 366
--- --- f. cerealis, 220
--- solani, 465
--- --- f. phaseoli, 5, 804
--- --- f. pisi, 93
--- tricinctum, 366
--- vasinfectum, 189
--- wilt, of cotton, 419; cucumber, 648
--- yellows or wilt, of tobacco, 929
Fusicladium effusum, 251
Fusicoccum canker, of Vaccinium corymbosum, 412
--- putrefaciens, 412
Fusidium sp(p), 367, 594

Gallotox, 291
Gangrena disease, of Solanum stoloniferum, 257; potato, 257
Garlic: pink root, 877
Gaultheria shallon: Phyllosticta gaultheriae, 718; powdery mildew, 718
GC-2466, 68, 306
Genetic abnormality, of Fragaria vesca var. bracteata, 549
Georgia, 45, 48, 66, 89, 155, 172, 189, 220, 238, 251, 446, 587, 609, 646, 779, 891, 946
Geotrichum sp., 367, 395
Germany, 529
Ghana, West Africa, 221, 931
Gibberella zeae, 496, 498
Gibberellic acid, 444, influence on seedling blight of corn, 312
Gladiolus: bacterial scab, corm and soil treatment for control of, 417; tobacco ringspot virus, transmission of, 463
Glenospora, 594
Gliocladium sp., 688
Globe-amaranth, see Gomphrena globosa
Gloeodes pomigena, 255
Gloeosporium, 395, on strawberry, 212
--- fructigenum, 395
--- melongenae, 493, 494

--- musarum, 618
--- piperatum, 493
Glomerella cingulata, 395
--- gossypii, 189
Glycine max: pyroid (root knot) nemas, 848
Glyodin, 21, 253
Godronia cassandrae, 414
Gomphrena globosa: bacterial blight, 742; tobacco ringspot virus, 463
Goosegrass, see Eleusine
Gramineae: yellow dwarf (virus), 501
Graminella nigrifrons, 771
Grape: black rot, 560; downy mildew, 560; powdery mildew, 560
Graphium sp(p.), 626, 688; on Pinus banksiana, P. resinosa, P. strobus, and Quercus ellipsoidalis, 626
Grapholitha molesta, 612
Gray leaf spot, of tomato, 493
Gray mold rot, of apple, 30
Gray-wall type disease, of tomato, 495
Greasy spot, of Citrus, 925
Greece, 42, 681
Green mold, of Citrus, 383
Griseofulvin, 14
Ground cherry, see Prunus fruticosa
Guar, see Cyamopsis
Guatemala, 71, 220, 566, 672, 681, 721, 722, 751, 764, 841
Guignardia bidwellii, 560
Gummosis, of Citrus spp., 926
Gummy stem blight, of cantaloupe, 492, watermelon, 493, 494, 556
Gymnosporangium clavipes, 109
--- globosum, 109
--- juniperi-virginianae, 109

Hadromycosis, of cotton, 840
Halo blight, of oats, 696
Halo scab, of Citrus aurantium, 662
Hawaii, 318, 761, 865
Hawthorn, see Crataegus
Helianthus annuus: Botrytis cinerea in seed, 664; crown gall, 100; Sclerotinia sclerotiorum in seed, 664; tobacco ringspot virus, 738
--- tuberosus: crown gall, 102
Helicotylenchus sp(p.), 94, 96, 259, 402, 470, 471
--- erythrinae, 841, 842
--- microlobus, 747
--- nannus, 482
Helminthosporium sp(p.), 499, 517, on sugarcane, 153
--- avenae, 538
--- sacchari, 721
--- sativum, 23
--- tetramera, 366
--- torulosum, 618; see also Deightoniella torulosa
--- turcicum, 499
--- vagans, 506, 508
--- victoriae, 538, 775
Hemicriconemoides sp., 842
--- gaddi, on Camellia japonica, 446
Herbicides, to break life cycle of Anguina agrostis, 524
Hercules 3944-H, 506
Hercules 4223-H, 506
Heterodera sp(p.), 96, 402, 470
--- glycines, 492; methyl bromide fumigation of, 728
--- schachtii, 868
Hilaria mutica: Puccinia stakmanii, negative reaction, 78
Hoplolaimus, 402
--- tylenchiformis, 400, 482
Hormiscium sp., 367
Hormodendrum sp(p.), 594, on cabbage 92
Hormone injury, to tomato, 161
Host-parasite interactions of the Asiatic pyroid citrus nema, 848
Host range, of Helicotylenchus microlobus, 747
Hosts, Juniperus: of cedar-apple and cedar hawthorn rust, 109
Hosts, natural: of cucumber mosaic in Israel, 142
Huckleberry, see Vaccinium
Hydnum septentrionale, 787
Hydracrylonitrile, carbanilate, 385
Hydrated lime plus Nuclay-streptomycin, 204
8-hydroxyquinoline benzoate, 385
8-hydroxyquinoline sulfate, 385, 858
Hylemia antiqua, 269
Hypodermella arcuata, 655
Hypoxylon, 687
--- pruinatum, 132
--- punctulatum, 689

Idaho, 25, 340, 359, 470, 546, 592, 655, 779
Illinois, 82, 109, 163, 176, 351, 372, 694, 779, 877, 952
Index of plant diseases in the United States, Agricultural Handbook No. 165 now available, 809
India, 42, 318, 444, 680, 681, 697
Indiana, 779
Inoculum applicator, tractor-mounted, description of, 532
Insect cage, clip type, 592
Insecticide treatments, for aphid control in relation to spread of barley yellow dwarf virus, 501
Internal breakdown, of apple, 29; Trifolium pratense, 59
Iodophor, 142

Iowa, 40, 184, 192, 227, 529, 779, 780, 806
Ipomoea batatas: (see also under sweetpotato) pyroid (root knot) nemas, 848
Iran, 42
Iraq, 42
Ireland, 186
Isariopsis griseola, 492
Iso-amyl alcohol, 198
Israel, 144, 448
Italy 529, 681

Jamaica, 618, 808
Japan, 679, 680, 681
Jordan, 42
Juglans hindsii: Pratylenchus vulnus, foliar sprays of schradan, 690
--- regia: Verticillium albo-atrum, no infection from inoculations, 919
Juniperus spp.: cedar-quince rust, 109
---, vars. and forms, susceptible or resistant to cedar-apple and cedar-hawthorn rust, 109
--- communis: fungi similar to or synonymous with Exosporium glomerulosum, 527
--- --- var. depressa: Cercospora sequoiae var. juniperi, 529
--- pinchotii: cedar-apple rust, 1st rept. on this host (Ill.), 109
--- utahensis: cedar-apple rust, 1st rept. on this host (Ill.), 109
--- virginiana: cedar blight, 744; Cercospora sequoiae var. juniperi, 529; needle blight, 527; susceptibility to black root rot, 647

Kabatiella caulivora, 315, 366, 367
--- phoradendri f. umbellulariae, 669
Kansas, 6, 162, 487, 516, 778, 779
Karathane, 253, 273
Karschia lignyota, 416
Kentucky, 159, 779
Kerosene, 198
Kromad (5% cadmium sebacate; 5% potassium chromate; 1% malachite green; 0.5% auramine; 16% thiram), 506, 744
Kyllinga brevifolia: Piricularia spp., 680

Lake States region, 348
Lanolin, 198
Late blight, of celery, 92
Latvia, 530
Laxitextum bicolor, 787, 892, 893
--- crassum, 892, 893
Leaf blight, of Crataegus oxyacantha var. pauli, 396
Leaf blotch, of oats, 540
Leaf mold, of tomato, 160
Leaf scald, of rice, 294
Leaf spot, of bean, 491, 492; Medicago sativa, 314; Melilotus spp., 315; peanut, 609; Trifolium pratense, 315; Trigonella foenum-graecum, 40; of Tropaeolum majus, 742
Leaf and tip blight, of onion, 585
Lecanosticta sp., associated with needle blight of Pinus monticola, 655
--- acicola, 658
Leguminous and non-leguminous species: reaction of alfalfa mosaic virus on, 121
Lemon grass, see Cymbopogon
Lentinus lepideus 789
Lenzites betulina, 892
--- saepiaria, 892
--- trabea, 789, 892
Leptographium sp(p.), on Picea and Pinus, 626
Leptosphaerulina arachidicola, 609
Leptothyrium pomi, 255
Lettuce: bacterial blight, 742; big vein, 352, 617; corky root rot, 333; downy mildew, 93; Fusarium damping-off, 92; Malva and radish yellows (virus), symptoms typical of "June yellows", 406; nitrogen injury, 334; Olpidium, infectivity differs from roots of spinach and lettuce, 353, Olpidium, Terraclor control, 352
Leytosan (phenyl mercury urea), 291, 444, 664
Leytosan G. 91, 291
Leytosol, 444
Lime, 560
Limonium bonduellii: Botrytis cinerea, 1st rept. on this host (Florida), 644; crown rots, Rhizoctonia solani and Sclerotium rolfsii, 1st rept. on this host (Florida), 643
--- sinuatum: Botrytis cinerea, 1st rept. on this (Florida), 644; crown rots, Rhizoctonia solani and Sclerotium rolfsii, 1st rept. on this host (Florida), 643
Lindane, 104
Liquidambar styraciflua: Daedalea confragosa, 787; Hydnum septentrionale, 787; Laxitextum bicolor, 787; Panus sp., 787; Pleurotus ostreatus, 787; Polyporus adustus, 787; Polyporus gilvus, 787; Polyporus versicolor, 787; Schizophyllum commune, 787; susceptibility to black root rot, 647
Liqui-san, 291
Liqui-san Concentrate, 291

Little leaf, see stubborn disease
"Llaga macena", see canker of coffee
LO-1499, 68
LO-1769, 68
LO-1769 Sp. T. M., 68
Losses, from yellow dwarf of cereal crops in Oregon, 501
Lotus spp.: Stemphylium leaf spot and stem canker, resistance to, 276
--- corniculatus: brown patch, 115; Cercospora sp., 316; Colletotrichum sp., 316; Stemphylium leaf spot and stem canker, 276; southern blight, 1st rept. on this host (Va.), 115; Stemphylium loti, 276, 316
Louisiana, 54, 180, 189, 212, 216, 379, 390, 446, 474, 478, 519, 559, 681, 779, 840
Lunasan (ethyl mercury thiourea derivative), 664
Lupinus luteus: Phomopsis leptostromiformis, new disease in United States (Georgia and Florida), 66
Lycopersicum esculentum (see also tomato): pyroid (root-knot) nemas, 848

Macadamia integrifolia: Phytophthora canker in California, 819
--- tetraphylla: Phytophthora canker in California, 819
Macrophoma spp., 823
Macrophomina phaseoli, 492
Macrosiphum dirhodum, rose grass aphid, 503
--- granarium, 154, 503, 771, 940
Macrosteles fascifrons, 154, 771, 888
Magnolia fuscata, toxicity of PCNB to, 559
--- grandiflora: Clitocybe mushroom root rot, 89
Maine, 59, 235, 742, 908
Maize, see corn
Malathion, 136, 391
"Mal de machete", see branch and stem canker of cacao
Maleic hydrazide, 524
Malpighia glabra: Cercospora bunchosiae, 1st rept. on this host (Florida), 505
Malva parviflora: Malva yellows virus, 407
Maneb (Manganese ethylene bisdithiocarbamate) 168, 308, 462, 684, 698, 865, 866
Manganese Omadine, see manganese salt of pyridinethione
Manganese salt of pyridinethione, 650
Mangifera indica: anthracnose, 318
Mango, see Mangifera indica
Manitoba, 208, 290, 664, 771
Manure injury, of tobacco, 159
Maryland, 179, 253, 296, 303, 399, 423, 459, 684, 742, 752, 779, 834, 948
Massachusetts, 409, 416
MC-2, 480
Medicago: Uromyces striatus, 184
--- lupulina: Uromyces medicaginis, 373
--- sativa: bacterial stem blight, 314; bacterial wilt, 314; black stem, 314; brown leaf spot, 314, 316; brown spot, 314; Cercospora leaf spot, 314, crown and root rot, 314; downy mildew, 314; Fusarium roseum, 364; leaf spot, 314; mosaic (virus), 314; Phoma herbarum var. medicaginis, 364; Pseudoplea leaf spot, 314, 316; rust, 314; scorch 314; Stemphylium botryosum, 364; Stemphylium leaf spot, 314; yellow leaf blotch, 314
Melanoplus differentialis, 464
Melilotus spp.: black stem, 315; leaf spot, 315; stem canker, 315; virus complex, 315
--- italica: Uromyces striatus, 1st rept. on this host (Iowa), 184
Meliola xenoderma, 505
Meloidogyne sp(p.), 189, 399, 402, 493, 557, 841, 930
--- africana africana, 841
--- exigua, 722, 841, 842
--- --- exigua, 841
--- hapla, 51, 354, 491, 492, 543
--- incognita, 51, 160, 161, 354, 482, 841, 842
--- --- acrita, 51, 288, 354, 441, 480, 484, 491 ff., 622
--- inornata, 722, 842
--- javanica, 51
--- --- javanica, 441
Melting-out, of Poa pratensis, 506
Mema MN, 382
Mema RM, 382
Merbam (phenyl mercury dimethyl dithio carbamate), 746
Mer-cad, 291
Mercury, 290
Mergamma C (lindane with phenyl mercury acetate and ethyl mercury chloride), 291, 293, 664
Mer-kote, 291
Merlane H, 291
Mer-sol 7S, 291
Mer-sol 48, 291
Mer-sol 51, 291
Merthiolate, 142
Merulius confluens, 892, 893
Methods, for extracting nematodes from root and soil samples, 217
Methoxybutenyl carbanilate mixture, 385
2-(2-Methoxybutenyl) ethyl carbanilate, 385
Methyl bromide, 14, 334, 479, 552, 948

Methyl bromide fumigation, for Heterodera glycines in North Carolina, 728
Methyl cellulose derivate, 484
Mexico, 288, 372, 672, 681, 692
Michigan, 186, 348, 396, 530, 550, 695, 755, 779
Micro-Cel, 484
Microcitrus australasica: Tylenchulus semipenetrans, 281
Micronized wettable sulfur, 253
Microsphaera sp., 718
Millet, see Pennisetum
Minnesota, 71, 154, 286, 312, 314, 536, 543, 591, 594, 625, 698, 742, 747, 771, 774, 779
Mississippi, 19, 45, 129, 189, 190, 390, 419, 423, 472, 538, 673, 742, 779, 874
Missouri, 189, 260, 516, 561, 779
Molucella laevis: cucumber mosaic virus, 145
Monilia, 594
Monilinia fructicola, 130, 201, 306
Mononchids, 259
Mononchus spp., 401
Monsanto Liquid PCNB, 26
Montana, 25, 704
Monuron, 525
Morocco, 920
MSG 1, 382
MSG 40, 382
Mucor sp(p.), 200, 367, 871
Muhlenbergia arenacea: Puccinia stakmanii, negative reaction, 78
--- porteri: Puccinia stakmanii, negative reaction, 78
Murraya paniculata: Tylenchulus semipenetrans, free of, 281
Muskmelon, see cantaloupe
Mycobacterium tuberculosis, 200
Mycosphaerella aleuritidis, 190
--- brassicicola, 362
--- citrullina, 556
--- horii, 925
--- melonis, 492 ff.
--- pinodes, 364, 366
Mylone, 309, 334
Myzus sp., 399
--- persicae, 48, 134, 406, 580, 593, 930

N-2038, 68
Nabac (2,2-methylene bis (3,4,6-trichlorophenol)), 255
Nabam (disodium ethylene bisdithiocarbamate), 168, 332, 465, 672, 948
N-dure, 332
Nebraska, 516, 744, 779, 815, 896
Necrosis, stem, of pepper, 550
Nectarine: peach stunt (virus) 488
Nectria sp., on coffee, 566
Needle blight, of Juniperus virginiana, 527; Pinus monticola, 655
Needle cast, of Pinus monticola, 655
Nemagon, 289, 480, 735
Nemagon Soil Fumigant, 484
Nematode populations: effects of decaying vegetable matter on, 400
Nematodes (see also under genera): assay developed to detect chemicals repellant to, 622; associated with red clover, 402; effects of soil fumigants for eradication of, in field bins, 479; incubation of soil and root samples in polyethylene plastic for improved recovery of, 31; methods for extracting from root and soil samples, 217; modification of the Büchner funnel method for transferring and concentrating nematodes, 450; non-stylet-bearing, 402; osmotic destruction of, by addition of sugars to soil, 883; polyethylene plastic bags and glass jars as incubation chambers 574; separated from soil by a modified Baermann funnel technique, 94
Neofabraea perennans, 6
Neovossia barclayana, 19
Neurospora sp., 367
New Delhi, 848
New disease: root necrosis of rhubarb in Michigan, 186
New distribution: bacterial blight of sugar beet in Maryland, 742
--- : Cephalosporium diospyri on Diospyros virginiana in Okla., 45
--- Ceratocystis fimbriata on Theobroma cacao in Guatemala, 672
---: Ceratocystis moniliformis on Populus tremuloides in Minnesota, 626
---: Ceratocystis pilifera on Pinus strobus in Minnesota, 626
---: Cercospora traversiana on Trigonella foenum-graecum in North America (Iowa), 40
---: Ciborinia candolleana on Quercus rubra in U. S. (Pennsylvania), 430
---: Colletotrichum gloeosporioides on Umbellularia californica (California), 670
---: crazy top of corn in Virginia, 696
---: Cronartium fusiforme on Pinus caribaea in Mississippi, 673
---: downy mildew of oats, rye and wheat in Arkansas, 207
---: downy mildew of watermelon in Arizona, 372
---: etch (virus) of tobacco in Venezuela, 928
---: hoja blanca (virus) of rice in Louisi-

iana, 390; in Mexico, 751
---: Hypoxylon pruinatum on Populus tremula in Wis., 132
---: Leptosphaerulina arachidicola on peanut in Georgia, 609
---: Meloidogyne exigua on coffee in Guatemala, 722
---: Phomopsis leptostromiformis on Lupinus luteus in U. S. (Florida and Georgia), 66
---: Physalospora obtusa on Quercus virginiana in South Carolina, 533
---: powdery mildew of potato in Argentina, 595
---: Pratylenchus coffeae on coffee in Guatemala, 722
---: ring spot of Brassica campestris var. annua in Canada, 362
---: soil-borne mosaic of oats in Virginia, 696
---: sooty-bark canker of Populus tremuloides in New Mexico, 373
---: striate mosaic virus of wheat in North Dakota, 771
---: vein clearing virus of sweetpotato in Ghana, W. Africa, 931
New Hampshire, 306, 653, 912
New hosts: Botrytis cinerea, on Limonium sinuatum and L. bonduellii in Florida, 644
--: cedar-apple rust on Juniperus pinchotii and J. utahensis (Ill.), 109
---: Ceratocystis coerulescens on Pinus banksiana and P. resinosa in Minnesota, 626
---: Ceratocystis fimbriata, on Quercus ellipsoidalis in Minnesota, 626
---: Ceratocystis piceae on Populus tremuloides in Minnesota, 626
---: Ceratocystis pilifera on Picea and Pinus in Minnesota, 626
---: Ceratocystis pluriannulata on Quercus ellipsoidalis and Populus tremuloides in Minnesota, 626
---: Cercospora bunchosiae on Malpighia glabra (Florida), 505
---: Corynebacterium michiganense on Solanum mammosum and S. muricatum (Calif.), 98
---: Cronartium fusiforme on Pinus spp. in Mississippi, 673
---: Hymenomycetous fungi on peach in South Carolina, 891
---: Meloidogyne hapla on Artemisia dracunculus in California, 358
---: Panicum mosaic of Setaria lutescens (Kansas), 487
---: Pratylenchus coffeae on Dahlia sp., in California and Michigan, 755
---: Rhizoctonia solani and Sclerotium rolfsii on Limonium in Florida, 643
---: southern blight of Lotus corniculatus (Va.), 115
---: Taphrina pruni-subcordatae on Prunus domestica vars. French and Italian in Oregon, 630
---: tobacco ringspot virus on Abutilon theophrasti and Polygonum hydropiperoides, 952
---: Uromyces striatus on Melilotus italica, 184
---: Verticillium albo-atrum on Elaeagnus angustifolia in New Mexico, 72, peanut in New Mexico, 435
New Improved Ceresan, 417
New Jersey, 20, 370, 400, 402, 622, 742, 826, 862
New Mexico, 72, 77, 189, 373, 435, 605, 793, 956
New techniques, for plant disease surveys and for appraisal of losses, 5
New York, 29, 46, 276, 332, 333, 395, 560, 596, 648, 779, 789, 809, 940
Niacide M, 176
Nicaragua, 221, 681
Nickel chloride, 209
Nickel ethylene bisdithiocarbamate (03818-B), 68
Nickel nitrate, 209
Nickel sulfate hexahydrate, 209
Nicotiana glutinosa: stem necrosis, 551
Nicotiana tabacum: Pseudomonas aptata, negative rept., 743
Nigrospora oryzae, 367
No Bunt, 26, 291
North America, 132
North Carolina, 14, 45, 62, 189, 342, 432, 448, 491, 527, 728, 733, 779, 800, 886, 934, 955
North Dakota, 23, 359, 724, 771, 779, 802
Nova Scotia, 409
NPH64(Tubosan), 68
N-phenylmercuriethylenediamine spray, 268
Nub root, of cotton, 472
Nuclay, 204
Nystatin, 660, 866

Oak: see Quercus
Oats: Chaetomium globosum, 775; crown rust, physiological races of, identified in 1959, 780; culm rot, 538; downy mildew, 207; halo blight, widespread and destructive in Virginia, 696; Helicotylenchus microlobus, 747; Helminthosporium spp., differentiation by ragdoll method, 538; Helminthosporium victoriae, 774; leaf blotch, 540; soil-borne mosaic, 1st rept. on this host in Virginia, 696; smut, 290, 293; snow mold in Pennsylvania, 894; stem rust, 5; yellow

(Oats) dwarf (virus), 5, 940
Octamethyl pyrophosphoramide, see schradan
Odontia spathulata, 892, 893
Ohio, 779
Oidium, 595
Oils, action on wood destroying fungi, 789
Oklahoma, 45, 189, 516, 779, 793
Olea europaea: bacterial knot, control with antibiotic drenches in greenhouse, 197; method to induce galls on, with Pseudomonas savastanoi, 100
Olive, Russian, see Elaeagnus
Olpidium, associated with big vein of lettuce, 353; on lettuce and spinach, 353
--- brassicae, 352, 617
Omadine, 142
Omadine-Copper salt, 382
Omadine-Disulfide salt, 382
Omadine-Manganese salt, 382
Omadine-Thiourea salt, 382
Omadine-Zine salt, 382
Onion: Botrytis cinerea, 93; Fusarium sp., 93; leaf and tip blight, 585; pink root, 493, 877, screening of fungicides and chemotherapeutants for control of, 379; purple blotch, 493; Pyrenochaeta terrestris, 54; root knot, 493; seedling root rot, 493; smut, 259, 332, 804; southern blight, 493, 494
Onion test, a quantitative method for determining the distribution of emulsifiable DBCP in soil, 510
Ontario, 259, 273, 297, 373, 530, 596, 664
Oospora pustulans, 93
Oregon, 25, 139, 364, 486, 501, 524, 630, 702, 718, 742, 796, 905, 919
Ortho LM, 291
Ortho LM Concentrate, 291
Ortho LME, 291
Ortho L M Seed Protectant, 26
Ortho LM SP (dry), 291
Ortho Phaltan, 527
Ortho Phaltan 50 W, 531
Ortho Spreader-Sticker, 561
Ortho sticker (ML-104), 561
Orthocide, 560
Orthocide 50-W, 506
Orthocide 75, 291
Oxyquinoline sulfate, 672
Oxytetracycline, 698

Pacific Northwest, 25
Pakistan, 42
Palestine, 42
Panagrellus sp., 884
--- redivivus, 622
Panama, 80, 221
Panicum miliaceum: Piricularia spp., 682, 679
--- purpurascens: Piricularia spp., 682, 679
--- repens: Piricularia spp., 680
--- virgatum: mosaic (virus), additional characteristics, 487
Panogen, 26
Panogen 15, 291, 382, 444
Panogen 42, 293
Panus sp., 787
--- rudis, 892
--- stypticus, 892
Papaya, see Carica papaya
Papulospora sp(p.), 367, 594, 823
Paraguay, 663
Paralobesia viteana, 560
Parathion, 130, 136, 501
Paratylenchus spp., 94, 96, 402
--- macrophallos, 842
Parzate, 332
PCNB, 14, 334, 466, 474, 559, 934
Pea: Alternaria sp., 93; damping-off fungi, insecticide-fungicide combinations, effect on emergence of peas and growth of fungi, 104; foot rot, 805; Fusarium root and crown rot, 93; Helicotylenchus microlobus, negative rept., 750
---, field, see Pisum
---, southern: Ascochyta blight, 493; bacterial blight, 493; Cladosporium spot, 493, 495; Fusarium wilt and root rot, 493; mosaic (undet.), 493, 495; pod rot, 493; root knot, 493; southern blight, 493; target spot, 493, 495
Peach: Armillaria mellea in Georgia, 91; bacterial spot, 131, dodine for control, 826, dodine-captan combination for control, 136; brown rot, 130; chlorosis, chemical control, 317; Clitocybe mushroom root rot, 89; crown gall, control with antibiotic drenches, 197, methods to induce galls, 100; Gloeosporium fructigenum, 395; Hymenomycetous fungi associated with wood decay in South Carolina, 16 species rept. 1st time on peach in United States, 891; leaf curl (virus), 131; necrotic leaf spot (virus), 117; peach stunt (virus), natural spread in California, 488; powdery mildew, 22; Prunus ring spot virus, Rio Oso Gem seedlings as indicator hosts for, 324; pustular spot, 424; ring spot (virus), 117; rusty spot and its control, 20; scab, fungicides for control, 129;

shot hole in Arizona, 629; twisted leaf virus, 240
Peach and nectarine: passage of necrotic leaf spot and ring spot viruses through seeds, 117
Peanut: Belonolaimus longicaudatus, control with DBCP and EN 18133, 733; leaf spot, Leptosphaerulina arachidicola, 1st rept. on this host from Georgia, 609; Verticillium wilt, 1st rept. on this host in U. S. (New Mexico), 435
Pear: blight control, hydrated lime improves Nuclay-streptomycin dust for, 204; decline, behavior of trees on own roots, 438, red-leaf condition associated with, 904; Phytophthora cactorum, 262; postharvest fungicide treatments for reduction of decay, 64; Pythium ultimum, 263; transmissible corky pit of Flemish Beauty, 636; twisted leaf virus, 240
Pecan: scab, 129, dodine for control, 251
Pelargonium hortorum: Xanthomonas pelargonii, 552
Pellicularia filamentosa, 92
Penicillium sp(p.), 200, 367, 395, 467, 594, 622, 823, 908; on Trigonella foenum-graecum, 43
--- digitatum, 383
--- expansum, 30
Peniophora affinis, 892, 893
Pennisetum glaucum: fungicides and gibberellic acid, effectiveness of as seed treatment for, 444
--- purpureum: Piricularia spp., 679
Pennsylvania, 59, 303, 417, 430, 496, 498, 506, 516, 529, 742, 779, 894
Pentatrichopus fragaefolii, 436
--- jacobi, 436
--- --- viviparae, 436
--- thomasi, 436
--- --- ssp. jacobi, 12
Pepper: anthracnose, 493; Ascochyta leaf spot, 493; bacterial blight, 742; bacterial soft rot, 493, 495; bacterial spot, 172, 493, 494, resistance of, 587; bacterial wilt, 448; Botrytis cinerea, 93; Cercospora leaf spot, 173, 493; cucumber mosaic (virus), 146; Phytophthora blight, 493; Phytophthora root rot, 872; southern blight, 493; tobacco mosaic virus associated with a wilt and stem necrosis of, 550
---, Tabasco: wilt (tobacco etch virus), 550
Pepper spot, of Trifolium pratense, 315
Peronospora effusa, 834
--- parasitica, 492
--- tabacina, 6, 159
--- trifoliorum, 314
Persea americana: anthracnose, 318; Phytophthora cinnamomi, 661, 819
Persimmon, see Diospyros
Peru, 256, 257
Pestalotia spp., on Castanea spp., 820, 823
--- quercina, 823
Petal blight, of camellia, 559
Petroleum hydro-carbon torch used in aseptic transfer of microorganisms and in routine laboratory glass blowing, 296
Petunia violacea: tobacco ringspot virus, 738
Pezizella lythri, 416
Phaltan, 64, 68, 168, 176, 270, 334, for control of grape diseases, 560
Phaltan 50, 270
Phenacridane chloride, 684
Phenyl mercuri triethanol ammonium lactate 7.5%, see under Puratized Agricultural Spray
Phenyl mercury acetate and ethyl mercury chloride, see under Agrox C
Phenyl mercury dimethyl dithio carbamate, see under merbam
Phenyl mercury lactate, 415
Phenyl mercury urea, see under Leytosan
Phialophora, 594
--- malorum, 6
Philippines, 681
Phix, 308
Phoma spp., 60, 314, 594
--- castanea, 820
--- herbarum var. medicaginis, 314, 315, 364, 366
--- trifolii, 364, 366
--- tuberosa, 93
Phomopsis sp(p.), 718, 823
--- citri, 383
--- juniperovora, 744, 527
--- leptostromiformis, 66
--- stem blight, of Lupinus luteus, 66
--- vaccinii, 411
--- vexans, 493, 494
Phosdrin, 391
Phygon, 68, 444
Phyllosticta sp., 718
--- gaultheriae, 718
--- phaseolina, 492
Phymatotrichum omnivorum, 189
Physalospora obtusa, 30, on Quercus virginiana, 533
--- tucumanensis, 519
Phytophthora spp., 262, 309, 492, 925; on Antirrhinum majus, 946; on Citrus spp., 572, 858; production and use of

(Phytophthora) zoospore suspension of, for investigations on diseases of Citrus, 572; use of pimaricin in isolation of, from root tissues, 660
--- cactorum, 262, 660, 693, 946
--- capsici, 492 ff., 660, 692, 872
--- cinnamomi, 660, 819
--- citrophthora, 309, 572, 579, 660, 693, 710, 858, 872
--- cryptogea, 661, 946
--- erythroseptica, 520
--- fragariae, 948
--- infestans, 160, 227, 235, 306, 493, 896
--- megasperma, 520
--- palmivora, 221, 946
--- parasitica, 62, 309, 578, 660, 672, 693, 710, 858, 946
--- --- var. nicotianae, 155, 159, 296, 303, 929
--- phaseoli, 201, 684
--- root rot, of avocado, 819
--- rot, of watermelon on the market, 693
--- sojae, 543
Picea sp(p.): Ceratocystis pilifera, 1st rept. on this host (Minn.), 626; Leptographium sp., 625, 626
--- engelmannii: susceptibility to black root rot, 647; Valsa (Cytospora) kunzei, 72
Pigweed, see Amaranthus
Pilea muscosa: Colletotrichum blight, 697
Pimaricin, use of, in the isolation of Phytophthora spp. from root tissue, 660
Pimaricin-penicillin-polymyxin medium, 661
Pineapple: Ceratostomella paradoxa, 519; red rot, 519
Pineus sp. (aphid), 658
Pink root, of garlic, 877; onion, 379, 493, 877; shallot, 379
Pinus spp.: Leptographium sp., 625; relationship of nematodes with root rot of seedlings, 258
--- banksiana: Ceratocystis coerulescens, 1st rept. on this host (Minn.), 626; Ceratocystis ips, 626; Ceratocystis pilifera, 1st rept. on this host (Minn.), 626; Graphium spp., 626; Leptographium sp., 626
--- caribaea: Cronartium fusiforme, 1st rept. on this host from Mississppi, 673
--- clausa: susceptibility to black root rot, 647
--- cooperi var. ornelasi: Cronartium fusiforme, 1st rept. on this host (Miss.), 673
--- echinata: susceptibility to black root rot, 647
--- edulis: susceptibility to black root rot, 647
--- elliottii: susceptibility to black root root, 647
--- --- var. densa: Cronartium fusiforme, 1st rept. on this host (Miss.), 673
--- --- var. elliottii: cone rust, distribution and control, 36; Cronartium fusiforme, 673
--- glabra: susceptibility to black root rot, 647
--- halepensis: susceptibility to black root rot, 647
--- laricio: susceptibility to black root rot, 647
--- maritima: susceptibility to black root rot, 647
--- monticola: needle blight, 655; needle cast, 655; pole blight, 470; Trichodorus elegans, 470
--- nigra: Cronartium fusiforme, 1st rept. on this host (Miss.), 673
--- palustris: cone rust, distribution and control, 36; susceptibility to black root rot, 647
--- pseudostrobus: Cronartium fusiforme, 1st rept. on this host (Miss.), 673
--- resinosa: Ceratocystis coerulescens, 1st rept. (Minn.), 626; C. ips, 626; Ceratocystis pilifera, 1st rept. on this host (Minn.), 626; Graphium spp., 626; Leptographium sp., 626; susceptibility to black root rot, 647
--- seedlings: Fusarium sp., 258
--- serotina: susceptibility to black root rot, 647
--- strobus: Ceratocystis pilifera, 1st rept. from Minnesota, 626; Graphium sp., 626; Leptographium spp., 626; root stain disease (Verticicladiella sp.) 704; susceptibility to black root rot, 647
--- taeda: root rot, 423; susceptibility to black root rot, 647
--- --- x echinata: susceptibility to black root rot, 647
--- torreyana: Cronartium fusiforme, 1st rept. on this host (Miss.), 673
--- virginiana: susceptibility to black root rot, 647
Piricularia spp., 679
--- grisea, 618, 682
--- --- f. sp. oryzae, 682
--- oryzae, 19, 679
Pisum sativum var. arvense: Botrytis cinerea, 364; Mycosphaerella pinodes, 364
Pittsburgh B-1843, 382

Plant diseases, major limiting factor in crop production in Alaska, 93
Plasmodiophora brassicae, 14, 352, 492, 805
Plasmopara viticola, 560
Pleospora conglutinata, 529
--- herbarum, 491 ff.
--- obtusa, 416
--- ostreatus, 787
Plum: blossom blight and green fruit rot, 265; twisted leaf (virus), 240
Plum rusty blotch, of Prunus spp., 87
Poa spp.: Sclerotinia dollar spot, 506
--- pratensis: melting-out, 506; stripe smut, 672
Pod rot, of southern pea, 493
Podosphaera leucotricha, 253
Pole blight, of Pinus monticola, 470
Polybutene H-35, 274
Polybutenes, 273
Polygonum hydropiperoides: tobacco ring-spot virus, new host, mechanical inoc., 952
Polymyxin B sulfate, 660
Polyporus spp., 891
--- adustus, 787
--- gilvus, 787
--- versicolor, 787, 789
Polystichum munitum: Phomopsis sp., 718; Phyllosticta sp., 718; Taphrina faulliana, 718
Poncirus trifoliata: exocortis disease, 180; Tylenchulus semipenetrans, 281
Populus grandidentata: Hypoxylon canker, 132
--- tremula: canker, 1st rept. on this host in N. Amer. (Wis.), 132
--- tremuloides: Ceratocystis moniliformis, 1st rept. from Minnesota, 626; Ceratocystis piceae, 1st rept. on this host (Minn.), 626; Ceratocystis pluriannulata, 1st rept. on this host (Minn.), 626; Hypoxylon canker, 132; sooty-bark canker, 1st rept. on, from New Mexico, 373
Poria ambigua, 892, 893
--- corticola, 892, 893
--- weirii, 706
Potato: alfalfa mosaic virus, 120; bacterial wilt, 448; button rot, 93; crinkle mosaic (potato viruses X and A), 340; cucumber mosaic virus, 145; early blight, 308; gangrena disease in Peru, 257; Helicotylenchus microlobus, 747; late blight 227, 235, forecasting in western Nebraska 896, fungicides 68, handbook 297; mosaic (virus), 340; powdery mildew, 1st rept. on this host from Argentina, 595; Rhizoctonia violacea, 93; seed-piece decay, control of, 698; skin spot, 93
Powdery mildew, of apple, 253; cantaloupe, 492; cucumber, 273; Gaultheria shallon, 718; grape, 560; peach, 22; potato, 595; rose, 273; squash, 492, 494; Trifolium pratense, 315; watermelon, 557; wheat, 126
Pratylenchus sp(p.), 94, 96, 259, 402, 465
--- brachyurus, 842, 884
--- coffeae, 841, 842, 722, 755
--- pratensis, 400, 491, 492
Propargyl bromide, 948
Propyl benzoyl-thionocarbamate, 385
2-Propyn-1-ol, Carbanilate, 385
Prunus spp.: plum rusty blotch transmissible disorder in California, 87
--- angustifolia: peach rosette virus, 220
--- domestica: Cytospora canker, distribution and mode of spread, 612; prune dwarf (virus), 490; Taphrina pruni-subcordatae, 1st rept. on French and Italian prunes (Oregon), 630; virus infection not the cause of earliness in three strains of Italian prune, 633
--- emarginata var. mollis: twisted leaf (virus), 240
--- fruticosa: tip blight, 395
--- hortulana: peach rosette virus, 220
--- injucunda: peach rosette virus, 220
--- mahaleb: twisted leaf virus, 240
--- serrulata vars. Kwanzan and Shirofugen: virus content (Lambert mottle and mottle leaf), 632
--- subcordata: Taphrina pruni-subcordatae, 630
--- tenella: tip blight, 395
--- virginiana: Gloeosporium fructigenum, 395
--- --- var. demissa: apricot ring pox (virus), 326; twisted leaf and ring pox viruses, 326; twisted leaf virus, 240; twisted leaf virus indigenous in, 328
Psammotettia lividellus, 771
Pseudomonas sp., 214
--- angulata, 159, 160
--- apii, 167
--- aptata, 742
--- coronafaciens, 696
--- fluorescens, 214
--- lachrymans, 200, 201, 492, 761
--- lauracearum, 669
--- marginata, 417
--- medicaginis, 314
--- phaseolicola, 200, 201

(Pseudomonas) savastanoi, 100, 197
--- solanacearum, 200, 432, 448, 493, 494
--- syringae, 139, 200, 201, 265, 315
--- tabaci, 159, 160
--- tomato, 552
Pseudoperonospora cubensis, 201, 372, 492, 556
Pseudopeziza jonesii, 314
--- medicaginis, 314
--- meliloti, 315
--- trifolii, 315
Pseudoplea sp., 315
--- briosiana, 314, 316
--- trifolii, 315
Pseudotsuga menziesii: susceptibility to black root rot, 647
Puccinia antirrhini, 84
--- aristidae, 828
--- asparagi, 82
--- cacabata, see P. stakmanii, 77
--- coronata avenae, 780
--- graminis avenae, 5
--- graminis tritici, 5, 6, 83, 208
--- recondita tritici, 6, 208, 778
--- stakmanii, 77
Pullularia pullulans (see also Aureobasidium), 367, 615, 658
Puradrin, 293
Puraseed, 293
Puratized Agricultural Spray 139, 396, 744, plus glyodin 253
Puratized Apple Spray, 129
Purple blotch, of onion, 493
Pustular spot, of peach, 424
Pyrenochaeta terrestris, 54, 379, 493, 877
Pyrenophora bromi, sporulation on artificial media, 912
Pyroid citrus nema, Asiatic: host range and pathology of, 848
Pyrophyllite plus calcium silicate, 648
Pyrus serotina: red leaf condition, 906
--- ussuriensis: red leaf condition, 906
Pythium sp(p.), 159, 315, 333, 366, 492, 660, 871, on corn, 161
--- aphanidermatum, 492
--- butleri, 296
--- debaryanum, 622
--- soft rot, of tobacco, 159
--- spinosum, 366
--- ultimum, 104, 263, 296, 492

Quercus spp.: Ceratocystis fagacearum, limited saprophytic survival in forest duff, 687, squirrels as possible vectors, 192
--- alba: dieback, 351; root rot, Corticium galactinum associated, 783; stem swellings, 238
--- ellipsoidalis: Ceratocystis fimbriata, 1st rept. on this host (Minn.), 626; Ceratocystis pluriannulata, 1st rept. on this host (Minn.), 626; Graphium sp., 626; oak wilt, 286
--- minima: cone rust, 36
--- nigra: Clitocybe mushroom root rot, 89
--- phellos: Clitocybe mushroom root rot, 89
--- prinus: dieback, 351; Sclerotiniaceae (unidentified), 431
--- pumila: cone rust, 36
--- rubra: Ciborinia candolleana, 1st rept. in U. S. (Pennsylvania), 430
--- stellata: Clitocybe mushroom root rot, 89
--- virginiana: cone rust, 36; Endothia parasitica associated with canker of, 754; Physalospora obtusa, 1st rept. on this host in South Carolina, 533
8-Quinolinol condensation product, 385
8-Quinolinol sulfate, 385

Races (see also strains), physiological, of Piricularia oryzae, 679
Radish: Malva yellows virus, 407; Rhizoctonia solani, 93; soft rot, 93
Radopholus similis, 31, 405, 465, 574, 842, 858, 884
Rape, see Brassica
RE 4334, 382
Reaction (see also resistance, susceptibility), of alfalfa mosaic virus on leguminous and non-leguminous host plants, 121; of alfalfa varieties to two species of root-knot nematodes, 441; of cotton plants to Verticillium albo-atrum, 420; of corn and sorghum to corn and Sudan grass head smuts, 113; of cotton varieties to isolates of Xanthomonas malvacearum, 800, to races of Xanthomonas malvacearum, 606; of Rhizoctonia solani to chemicals, 474; Vigna sinensis to Meloidogyne spp., 51
Redcedar, see Juniperus virginiana
Red-leaf condition, of pear trees, associated with pear decline, 904
Red rot, of pineapple, 519
Red stele, of strawberry, 948
Relation of fertilizer to development of bacterial spot of pepper, 172
Resistance, of chestnut species and hybrids inoculated with Endothia parasitica, 716; Citrus spp., varieties, hybrids and relatives to Radopholus similis, 405; cotton strains and progenies to Verticillium wilt, 419; eggplant in North Carolina to bacterial wilt, 432; introduced peppers to bacterial spot, 587; Juglans regia seedlings to Verticillium albo-atrum,

919; Juniper hosts to cedar-apple and cedar-hawthorn rust, 109; Lotus spp. to Stemphylium leafspot and stem canker, 276; maize synthetics for disease, 498; pepper to Phytophthora root rot, 872; strawberry varieties and selections to Verticillium albo-atrum, 370; sweetpotato to internal cork (virus), 342
Rhabdospora oxycocci, 416
Rhizoctonia, 189, 594, 654, 871, of bean 92; rhubarb, 188
--- microsclerotia, 492
--- solani, 5, 14, 60, 91, 93, 104, 115, 133, 296, 314, 474, 491 ff., 495, 538, 622, 643, 815; cultural variability of isolates and variability in pathogenicity to Acala and Pima cotton, 956; effects of soil temperature on the pathogenicity of, 793
--- violacea, 93
Rhizopus sp(p.), 189, 594, 823
--- nigricans, 43, 908
--- stolonifera, 367
Rhode Island, 133, 943
Rhopalosiphum fitchii, 503, 771
--- maidis, 940
--- padi, 940

Rhubarb: Aspergillus, 186; Fusarium, 186; Penicillium, 186; Rhizoctonia, 188; root necrosis (fungus unidentified), 186; Verticillium albo-atrum, 186
Rhynchosporium orthosporium, 294
--- oryzae, 294
--- secalis, 294
Rice: diseases in the Delta Area of Mississippi, 19; hoja blanca (virus) 71, 394, 1st rept. from Louisiana 390, from Mexico 751, relationship to inoculation point and to age and yield 387, transmission studies in Colombia, 80; kernel smut, 19; leaf scald, 294; leaf smut, 19; Piricularia oryzae 19, physiologic races 679; stripe virus disease, 71
Root necrosis, of rhubarb, 186
Root rot, of bean, 491; cotton, 189; navel orange trees, 309; pine seedlings, nematodes associated, 258; Pinus taeda, 423; Quercus alba, Corticium galactinum associated, 783; southern pea, 493
Root stain disease, of eastern white pine, 704
Root and stem rot, of alfalfa, 817
Rosa spp.: powdery, mildew, 273; rose-mosaic virus (Marmor rosae) cured by heat treatments, 46
Rotylenchulus reniformis, 216
Rotylenchus, 402, 842
--- brachyurus, 482
Roumania, 529
Russia, 132, 529
Russian almond, see Prunus tenella
Rusts, see under various genera and hosts
Rusty spot, of peach, 20
Rutstroemia Karsten emend. Rehm, 431
Rye: downy mildew (Sclerophthora macrospora), 1st rept. on this host in U.S. (Ark.), 207; Helicotylenchus microlobus, 747

Saccharum officinarum (see also sugarcane): Piricularia spp., 679, 682
Safflower, see Carthamus
Salal, see Gaultheria
San, 293
Sanninoidea exitiosa, 612
Sanocide, 26, 293
Saprophytes, 259
Sap-stain fungi found in Minnesota, 625
Sapstreak disease, of Acer saccharum, 348
Saskatchewan, 362
Scab, of apple, 176, 255, 306; cucumber, 492; peach, 129; pecan, 129, 251; squash, 492, 494; Viola sp. in New York, 596
Schizophyllum commune, 787, 892
Schradan (octamethyl pyrophosphoramide), 690
Sciurus carolinensis, 192
Sclerophthora macrospora, see Sclerospora
Scleropogon brevifolius: Puccinia stakmanii, negative reaction, 78
Sclerospora macrospora 206, 696
Sclerotia, estimating germinability of, 297
Sclerotinia botryosum, 364
--- dollar spot, of Festuca spp. and Poa spp. 506
--- fructicola, see Monilinia
--- homoeocarpa, 506
--- intermedia, 586
--- laxa, 265
--- minor, 586
--- sativa, 586
--- sclerotiorum, 92, 265, 364, 366, 585, 664, 804, 862
--- spermophila, 366
--- trifoliorum, 586, 862
--- --- var. fabae, 586
Sclerotiniaceae, on Quercus prinus, 431
Sclerotium bataticola, 258, 646, 930
--- rolfsii, 115, 491 ff., 643, 934
Scolytus rugulosus, 612

Scopulariopsis brevicaulis, 367
Scorch, of Medicago sativa, 314
Seed rot, of flax, 290
Seed treatment, fungicides and gibberellic acid for Pennisetum glaucum, 444
Seed treatment tests for control of seed-borne and soil-borne bunt of wheat, 25
Seed treatment trials, co-operative, 290
Seedling blight, of corn, 312, 498
--- root rot, of onion, 493
Septoria apii-graveolentis, 92
--- leaf blotch, of barley, 23
--- passerinii, 23
--- vaccinii, 416
Sequestrene 138 Fe, 317
Sequestrene 330 Fe, 317
Sequoia gigantea: Cercospora sequoiae, 529
Sesame, see Sesamum
Sesamum indicum: angular leaf spot, 221; bacterial blight, 742; tobacco ringspot virus, 738
Setaria lutescens: Panicum mosaic (virus), 1st rept. on this host, 487; Piricularia spp., 680
--- viridis: Piricularia spp., 680
Setrete, 293
Seventy-seven Triple A, 293
Severinia buxifolia: Tylenchulus semipenetrans, free of, 281
Sevin, 560
Shallot: bacterial soft rot, 934; black mold, 934, 938; Botrytis allii, 934; Fusarium bulb rot, 934; methods of controlling diseases, 934; pink root, 379, screening of fungicides and chemotherapeutants for control of, 379; Sclerotium rolfsii, 934
Shell flower, see Molucella
Shell Seed Dressing AM, 293
Shot hole, of peach, 629
Sinapsis arvensis: cucumber mosaic virus, 145
Sitona hispidula, 534
Skin spot, of potato, 93
Small grains: Cephalosporium stripe, 1st rept. of natural occurrence in field in U. S., 877
SMDC, 552
Smut, see under various genera and hosts
Smut Go, 26
Snow mold, of Bermuda grass, 517; oats, 894
Sodium hypochlorite, 660
Sodium orthophenylphenate plus hexamine, 383
Sodium penicillin G, 660
Sodium pimaricin, 660
Sodium usnate, antibiotic for plant diseases, 200
Soft root rot of flax, 214
Soft rot, of cabbage, 92
Soft rot, of radish, 93
Sogata cubana, 394, 751
--- furcifera, 751
--- orizicola, 80, 387, 390, 751
Soil organisms: effect of high-temperature water vapor on, 804
Solanum: see also eggplant, potato
--- douglasii: Corynebacterium michiganense, 98
--- mammosum: Corynebacterium michiganense, 1st rept. on this host (Calif.), 98
--- muricatum: Corynebacterium michiganense, 1st rept. on this host (Calif.), 98
--- nigrum: Corynebacterium michiganense, 98
--- stoloniferum: gangrena disease, 257
Soluble 50 Nemagon, 831
Sooty-bark canker, of Populus tremuloides, 373
Sooty blotch, of apple, 255; Trifolium pratense, 315
Sorghum sp(p): Sphacelotheca reiliana, 113
--- vulgare: covered kernel smut in Israel, 147; head and long smut in Israel, 147; loose kernel smut, 147; pyroid (root-knot) nemas, 848
South Africa, 432
South America, 62, 672, 679
South Carolina, 45, 134, 189, 527, 532, 779, 891
South Dakota, 113, 771, 779
Southern blight (see also Sclerotium rolfsii), of bean, 492; carrot, 492; eggplant, 493; Lotus corniculatus, 115; onion, 493, 494; pepper, 493; southern pea, 493; tomato, 493
Soybean: Diaporthe phaseolorum found in seed, 596; Helicotylenchus microlobus, 747; Phytophthora root rot, effect of soil temperature and Meloidogyne hapla, 543; tobacco ringspot virus, 738; transmission studies of tobacco ringspot virus, 952
Spadix rot, of Anthurium andraeanum, 865
Spain, 184
"Speckle", of banana, see fruit spot
Spergon, 444
Spergon SL (tetrachloropara-benzoquinone), 293, 724
Sphaceloma violae, 596
Sphacelotheca cruenta, 147
--- reiliana, 113, 147
--- sorghi, 147

Sphaerotheca pannosa, 22, 273
Spinach: bacterial blight, 742; blue mold, 834; Olpidium, infectivity differences from roots of spinach and lettuce, 353; rust, 828
---, New Zealand, see Tetragonia
Spongospora subterranea, 257
Sporidesmium glomerulosum, 529
Sporobolus contractus: Puccinia stakmanii, negative reaction, 78
--- cryptandrus: Puccinia stakmanii, negative reaction, 78
Spot blotch, of barley, 23
Spring dead spot, of Bermuda grass, 516
Squash: Choanephora fruit rot, 492, 494; downy mildew, 492, 494; mosaic (virus), Diabrotica balteata, new insect vector of, 134; mosaic (virus undet.), 492, 494; Phytophthora blight, 492, 494; powdery mildew, 492, 494; scab, 492, 494; tobacco ringspot virus, 738
Squirrels, possible vectors of Ceratocystis fagacearum in Iowa, 192
Stagonospora meliloti, 314
Stalk rot and smut, of corn, 498
Staphylococcus aureus, 200
Statice, see Limonium
Stauffer Compound N-521, 382
Stauffer HCB 40, 26
Steccherinum ochraceum, 892, 893
Stem canker, of Melilotus spp., 315
Stem necrosis, of Datura stramonium, 551; Nicotiana glutinosa, 551
Stem pitting, of apple, 767
Stem rot, of Antirrhinum majus, 946
Stem swellings, of Quercus alba, 238
Stem-end rot, of Citrus, 383
Stemphylium botryosum, 43, 314, 315, 364, 366
--- consortiale, 367
--- leaf spot and stem canker, of Lotus spp., 276
--- loti, 316, 276
--- radicinum, 92
--- sarcinaeforme, 306, 315
--- solani, 493
--- trifolii, 366
Stenotaphrum secundatum: Piricularia spp., 679, 682
Stereum albobadium, 892, 893
--- complicatum, 891, 892, 893
--- ochraceo-flavum, 892, 893
Stewart's disease, of corn, see bacterial wilt
Stolon rot, of Ladino white clover in the greenhouse, 653
Stop-Mold, 64
Storage decays, of chestnuts, 820
Strains, of barley stripe-mosaic virus tested against type-strain antiserum, 752; of tobacco ringspot virus, 738
Strasseria oxycocci, 416
Strawberry (see also Fragaria): chlorogenic acid in plants affected with crinkle and yellows viruses, 536; curly dwarf (virus), 12; Gloeosporium sp., fruit rot, believed to be first record in United States, 212; "latent C" virus plus other viruses, 796; mottle virus, ability of Aphis gossypii to transmit 12; red stele, 948; vein banding virus, transmission by aphid vectors, 436; Verticillium wilt, 370
Streptomycin, 142, 168, 197, 698
Stunt, of bean, 492
Stysanus spp., 594
Sucrose, 884
Sucrose and dextrose as nematocides, 883
Sugarcane (see also Saccharum): Elsinoë sp., 153; Helminthosporium sp., 153; mosaic virus, apparatus for inoculating, 874; Phytophthora rot of seed pieces in Louisiana, 519
Sulfur, 136, 462
Sunflower, see Helianthus
Susceptibility, of Amaranthus retroflexus to Rhizoctonia solani in irrigated fields, 815; of apple varieties to scar skin disease, 260; of Artemisia vulgaris and Helianthus tuberosus to crown gall, 102; of Citrus species and varieties, and other rutaceous plants to Tylenchulus semipenetrans, 281; of cotton varieties to leaf crumple virus, 248; of Juniper hosts to cedar-apple and cedar-hawthorn rust, 109; of rice varieties to Piricularia oryzae, 681; of tree species to black root rot, 646
"Swamp spot", see fruit spot
Sweetgum, see Liquidambar
Sweetpotato: Bemisia tabaci, vector of mosaic virus in Georgia, 48; feathery mottle (virus), 707; Fusarium wilt, 887; internal cork (virus), 343, 707, 886; Meloidogyne spp., dry heat treatment, 354; Rotylenchulus reniformis, 216; vein clearing virus, 1st rept. in Ghana, W. Africa, 931; yellow dwarf virus, eliminated by heat treatment, 707
Systox, 288

Tag, 142
Tagetes erecta: Colletotrichum blight, 697

Taiwan (Formosa), 848
Taphrina faulliana, 718
--- pruni-subcordatae, 630
Target spot, of southern pea, 493, 495; Trifolium pratense, 315
Tarragon, see Artemisia
Taxodium distichum: susceptibility to black root rot, 647
Taxus cuspidata nana: Fusarium spp. and Rhizoctonia solani, 133
TBCS, 168
Tech Thiram, 271
Techniques: clip-type insect cage, 592; new, for plant disease surveys and for appraisal of losses, 5; Popp's for routine detection of Ustilago nuda in barley embryos, 591
Telone, 479, 483
Tennessee, 45, 189, 779
Terraclor, 14, 352, 559
Terramycin, 197
Tersan OM, 506
Tetrachloropara-benzoquinone, see under Spergon SL
Tetracycline, 214
Tetragonia expansa: bacterial blight, 742
Tetramethylthiuram disulfide, see under thiram
Tetranychus telarius, 952
Texas, 45, 71, 170, 189, 391, 585, 605, 681, 738, 742, 779
Thailand, 681
Thecaphora solani, 257
Thelephora galactina, 783
Theobroma cacao: branch and stem canker (Ceratocystis fimbriata), 1st rept. on this host from Guatemala, 672; Phytophthora palmivora, world survey, 221
Therioaphis maculata, 442
Thielaviopsis sp(p.), 333
--- basicola, 5, 160; cultural variability of isolates and variability in pathogenicity to Acala and Pima cotton, 956
Thimerosal, 936
Thimet, 288, 501
Thioacetamide, 385
Thioneb 50W, 382
Thiourea, 385
Thiram (Tersan) (tetramethylthiuram disulfide), 21, 104, 169, 269, 270, 307, 334, 664, 858, 948
Thylate, 334
Tilletia caries, 25, 290
--- foetida, 25, 290, 293
--- tritici, 293
Tip blight, of Prunus fruticosa and tenella, 395
Tobacco: Alternaria (brown) spot, 63; angular leaf spot, 159, 160; anthracnose, 159; ashy mold, 930; bacterial black stalk, 930; bacterial wilt, 448; black root rot, 160; black shank, 62, 159, 303, 929, history of, in Georgia, 155; blue mold, (downy mildew), 6, 159; cold injury, 159; club root (virus), 160; curly top virus (Ruga verrucosans), 160; 2,4-D injury, 930; diseases in Venezuela, 928; etch (Marmor erodens), 160, 1st rept. from Venezuela, 928; frogeye, 63, 160, 930; Fusarium yellows or wilt, 929; green peach aphis (Myzus persicae), 930; leaf curl (virus), 62, 929; manganese toxicity, 159; manure injury, 159; Meloidogyne sp., see root knot; mosaic (virus), 6, 62, 928; Pythium soft rot, 159; ring spot (virus), 930; root knot 160, 399, 930; streak (virus) 929; tobacco necrosis virus, 640; tobacco ringspot virus, 463, 738; veinbanding (virus), 929; wildfire, 159, 160
Tolyposporium andropogonis, 148
--- ehrenbergii, 147
--- globuligerum, 148
--- paspali, 148
--- penicillariae, 148
--- restifaciens, 148
--- volkensii, 148
Tomato: Agrobacterium tumefaciens, 100, 552; anthracnose, 297, 493, 495; Ascochyta leaf spot, 493, 495; bacterial canker, 200, 493, 495, 552, sodium usnate for control, 200; bacterial spot, 493; bacterial wilt, 448, 493; Botrytis blight, 493, 495; Corynebacterium michiganense, 200, 493, 495, 552; crease stem, 170; crown gall, 100, 552; cucumber mosaic (virus), 146; curly top (virus), 160; early blight, 160, 308, 493, 495; fruit rot, 493, 495; Fusarium wilt, 160, 493; gray leaf spot, 493; graywall type disease, 495; hormone injury 161; late blight, 160, 306, 493; leaf mold, 160; Meloidogyne, see root knot; root knot, 161, 357, 493, 622, 848; southern blight, 493; tobacco mosaic (virus), 160, 493, 495; tobacco necrosis virus, 640; Verticillium wilt, 160
Toxicity, of PCNB, to Magnolia fuscata, 559
---, manganese, in tobacco leaves, 159
Toxoptera citricidus, 580
--- graminum, 771, 940

Tractor-mounted inoculum applicator, description of, 532
Transmissible corky pit, of Flemish Beauty pear fruits, 636
Transmission, of an apple virus through seeds, negative results, 695; of aster yellows virus to barley, 154; of barley yellow dwarf virus by aphid species from oat field samples, 940; of hoja blanca of rice by planthopper, Sogata cubana, 394; of ring spot virus of tobacco on soybean and weeds, 952; of tobacco ringspot virus on tools during harvesting flowers and corms of gladiolus, 463
Trialeurodes abutilonea, 952
--- vaporariorum, 952
Trichoderma sp(p.), 367, 594, 654, 688, 909
Trichodorus, 402, 479, 483
--- christiei, 259, 842
--- elegans, 470
--- monohystera, 842
Trichothecium sp., 367
Tridens pulchellus: Puccinia stakmanii, negative reaction, 78
Trigonella foenum-graecum: Cercospora traversiana (leaf spot), 1st rept. in North America (Iowa), 40; fungi observed on in Iowa, 43
Trifolium hybridum: Botrytis cinerea, 364; diseases found in Minnesota, 316; Fusarium roseum, 364; Phoma trifolii, 364; Stemphylium botryosum, 364
--- incarnatum: Botrytis cinerea, 364; Fusarium roseum, 364; Kabatiella caulivora, 367; Phoma trifolii, 364; Sclerotinia botryosum, 364; Sclerotinia sclerotiorum, 364
--- pratense: anthracnose, 315; bacterial blight, 315; black stem and leaf spot, 315; Fusarium spp., 59, 315; Helicotylenchus microlobus, 747; internal breakdown, 59; leaf spot, 315; nematodes associated in second growth year, 402; pepper spot, 315; Phoma spp., 60; powdery mildew, 315; Pythium spp., 315; Rhizoctonia solani, 60; rust, 315; Sclerotinia sclerotiorum, 862; sooty blotch, 315; target spot, 315; virus complex, 315
--- repens: alfalfa mosaic virus, 120; diseases in Minnesota, 316; Sclerotinia trifoliorum, 862
--- repens var. Ladino: relationship between injury by the clover root rot curculio and incidence of Fusarium root rot in, 534; Sclerotinia sclerotiorum, 862; Sclerotinia trifoliorum, 862; stolon rot, heat induced, in greenhouse, 653
Trinidad, 672
Triplonchium sp., 259
Tris ammonium lactate, 318
Tritisan, 293
Tropaeolum majus: leaf spot, 742
Tuberculina persicina, 78
Tung oil tree, see Aleurites
Turkey, 42
Tween 20(polyoxyethylene sorbitan monolaurate), 253
Tylenchorhynchus, 402, 470, 480, 842
--- claytoni, 491, 492
Tylenchulus semipenetrans, 216, 281, 450, 510, 830, 858
Tylenchus, 258, 259, 402
Typhula itoana, 894

Ulmus spp.: Ceratocystis ulmi (Dutch elm disease) 161 ff., 908, method of culturing samples, 806
--- americana: Clitocybe mushroom root rot, 89
Umbellularia californica: Botryodiplodia, 669; Botryosphaeria associated with dieback, 669; Colletotrichum gloeosporioides, 1st rept. on this host in this country (Calif.), 670; Dothiorella, 669; Kabatiella phoradendri f. umbellulariae, 669; Pseudomonas lauracearum, 669
Uncinula necator, 560
Upjohn GAB-5 (75% cycloheximide, 75% bis (dimethylthiocarbamoyl) disulfide), 506
Urea-boric acid reaction product, 385
Urocystis cepulae, 269, 332, 804
Uromyces anthyllidis, 184
--- baeumlerianus, 184
--- medicaginis, 373
--- phaseoli, 201
--- --- var. typica, 459, 491, 492, 809
--- striatus, on Euphorbia, 184; on Melilotus italica, 184
--- --- medicaginis, 184, 314
--- trifolii, 315
Ustilago avenae, 290, 293
--- hordei, 290
--- kolleri, 290, 293
--- nigra, 71
--- nuda, 71, 591, 724, 802
--- striiformis, 672
Utah, 25, 655, 706, 742

Vaccinium corymbosum: Alternaria tenuissima, 416; Cladosporium spp., 416; Coryneum canker, 409; dieback (boron deficiency), 855; Epicoccum

(Vaccinium) sp., 416; Fusicoccum canker, 412; Karschia lignyota, Macrophoma sp., Pezizella lythri, Pleospora obtusa, Rhabdospora oxycocci, Septoria vaccinii, Strasseria oxycocci, 416
--- macrocarpon: Fusicoccum putrefaciens, 414
--- ovatum: Venturia leaf spot, 718
Valsa (Cytospora) kunzei, 72
Vapam (sodium N-methyl dithiocarbamate), 14, 309, 334, 465, 948
Vaseline, 198
Vectors, of barley yellow dwarf virus, 503
Vegetable diseases, in Alaska, 92
Venezuela, 62, 71, 80, 505, 662, 672, 681, 928
Venturia inaequalis, 176, 255, 306;
--- vaccinii, 718
Veracruz, 751
Versenol F, 317
Verticicladiella sp., 706
Verticillium spp., 594
--- albo-atrum, 72, 160, 186, 189, 256, 366, 370, 419, 435, 478, 807, 840, 903, 908
--- dahliae, 903
--- wilt, of Carthamus tinctorius, 901
Vicia villosa: Ascochyta pisi, 364
Vigna sesquipedalis: Meloidogyne spp., 51
--- sinensis: Cladosporium vignae, 955; Meloidogyne spp., 51; tobacco necrosis virus, 640; tobacco ringspot virus, 738
Viola sp.: scab, in New York, 596
Virginia, 59, 351, 527, 696, 742, 754, 779
Virus diseases: apricot ring pox of chokecherry, 326
---: association of twisted leaf spot of cherry and ring pox of apricot, 243
---: aster yellows of barley, 154
---: barley yellow dwarf of oats, 940
---: club root of tobacco, 160
---: corky pit of Flemish Beauty pear fruit, 635
---: crinkle and yellows of strawberry, chlorogenic acid in plants, 536
---: curly dwarf of strawberry, 12
---: curly top (Ruga verrucosans), of tobacco and tomato, 160
---: etch of tobacco 160, 928
---: exocortis of Citrus spp., 925
---: feathery mottle of sweetpotato, 707
---: hoja blanca of Echinochloa colonum, 394; rice, 80, 387, 390, 394, 751, in Guatemala, 71
---: infectious variegation of Citrus in Florida, 426
---: internal cork of sweetpotato, 342, 707, 886
---: Lambert mottle and mottle leaf of Prunus serrulata vars. Kwanzan and Shiro-fugen, 632
---: latent A virus in Fragaria vesca, 702
---: "latent C" virus plus other viruses on strawberry varieties and seedlings, 796
---: leaf crumple of cotton, 246
---: leaf curl of peach, 131; of tobacco, 62, 929
---: malva yellows of Malva parviflora, radish, lettuce, 406
---, mosaics: of cucumber, 144, Medicago sativa, 314, Panicum spp., 487, potato, 340, southern pea, 493, 495, squash, 134, 292, 494, tobacco, 6, 62, 928, tomato, 493, 495;
--- ---: alfalfa mosaic of potato and white clover, 120
--- ---: barley stripe mosaic of wheat, 359, 752
--- ---: crinkle mosaic of potato, 340
--- ---: cucumber mosaic of Carthamus tinctorius, 145; Cavendish banana, 145; Molucella laevis, 145; pepper, 146; potato, 145; shell flower, 145; Sinapsis arvensis, 145; sugar beet, 144; tomato, 146
--- ---: Panicum mosaic of Digitaria sanguinalis, 487, Setaria lutescens, 487
--- ---: soil-borne mosaic of oats in Virginia, 696
--- ---: striate mosaic of wheat in North Dakota, 771
--- ---: sugarcane mosaic, apparatus for inoculating, 874
--- ---: tobacco mosaic of pepper, 550; tomato, 160
---: mottle of strawberry, 12
---: necrotic leaf spot of peach, 117
---: negative transmission through seeds of apple, 695
---: peach rosette of Acer rubrum, Prunus angustifolia, P. hortulana, P. injucunda and P. salicina, 220
---: peach stunt of nectarine, 488; peach, 488
---: prune dwarf of Prunus domestica, 490
---: Prunus ring spot of peach, 324
---: psorosis virus complex, of Citrus, 426, 926
---: radish yellows of Capsella bursa-pastoris, 407; lettuce, 406; sugar beet, 407
---: rasp leaf or leaf enation of apple, 634

---: rind spot of Citrus spp., 925
---: ring pox of apricot, 242
---: ring spot of peach, 117; tobacco, 930
---: scaly bark of Citrus spp., 925
---: spreading decline of Citrus, 465
---: stem pitting of apple, 767
---: strains of the barley stripe mosaic of barley and wheat, 752
---: streak of tobacco, 929
---: stripe virus disease of rice, 71
---: stubborn disease of Citrus spp., in Morocco, 920
---: stunt of corn, 764
---: tobacco necrosis virus of bean, 639; Cleome spinosa, 639; cowpea, 640; cucumber, 639; sugar beet, 640; tobacco, 640; tomato, 640
---: tobacco ringspot of Abutilon theophrasti, 952; Antirrhinum majus, 463; bean, 738; cantaloupe, 738; Crotalaria intermedia, 738; cucumber, 463, 738; Cyamopsis tetragonoloba, 738; eggplant, 738; Gomphrena globosa, 463; Helianthus annuus, 738; lima bean, 738; Petunia violacea, 738; Polygonum hydropiperoides, 952; Sesamum indicum, 738; soybean, 738; squash, 738; tobacco, 463, 738; Vigna sinensis, 738; watermelon, 738
---: tristeza of Citrus spp., 925, in Florida, 765
---: twisted leaf of apple, 240; apricot, 240; cherry, 240; chokecherry, 240; peach 240; pear, 240; plum, 240; Prunus mahaleb, 240; Van variety of sweet cherry, 331; wild cherry, 240; twisted leaf and ring pox of Prunus virginiana var. demissa, 326; twisted leaf virus indigenous in Prunus virginiana var. demissa, 328
---: veinbanding of strawberry, 436; tobacco, 929
---: vein clearing virus of sweetpotato in Ghana, 931
---: virus complex of Melilotus spp., 315; Trifolium pratense, 315
---: virus infection not the cause of earliness in three strains of Italian prunes, 633
---: wilt (tobacco etch virus), 551
---: xyloporosis (cachexia) of Citrus spp., 925
---: yellow dwarf of barley, 501; grasses, 501; oats, 5; sweetpotato, 707

Washington, 25, 64, 438, 524, 655, 742, 767, 804, 855, 907
Water core, of apple, 29
Watermelon: Alternaria leaf spot, 557; anthracnose, 493, 494, 556; bacterial rind necrosis, 761; Cercospora leaf spot, 493, 557; downy mildew, 556, 1st rept. from Arizona on this host, 372; fruit rot, 493; Fusarium wilt, 493, 494, 557; gummy stem blight, 493, 494, 556; Phytophthora rot on the market, 692; powdery mildew, 557; relation of disease occurrence to weather, 557; root knot, 493, 494, 557; tobacco ringspot virus, 738
Weather injuries: bruising of apples by strong winds, 179; cold injury to tobacco, 159; cold reaction of corn, 498; winter injury to Bermuda grass, 517
Weather map analysis, aid in forecasting late blight of potato, 227
Web blight, of bean, 492
Weeds: fumigants, late fall application for control of, 868; transmission studies of tobacco ringspot virus on, 952
West Indies, 318
West Virginia, 779
Western white pine, see Pinus monticola
Wettable sulfur, 21, 130
Wheat: barley stripe mosaic (virus), 359; bunt, 26, 290; bunt trials, 293; downy mildew, 1st rept. on this host in Arkansas, 207; Gibberella and Fusarium head blight, 220; Helicotylenchus microlobus, 747; leaf rust, 6, control by zineb and inorganic nickel salts, 208, physiologic races in the U. S., in 1959, 778; powdery mildew, (new race), 126; stem rust, 5, control by zineb and inorganic nickel salts, 208; strains of the barley stripe mosaic virus, 752; striate mosaic virus, 1st rept. in North Dakota, 771
Wildfire, of tobacco, 159, 160
Wilt, of Diospyros virginiana, 45; pepper, 550
Wirestem, of cabbage, 14, 492
Witches'-broom, on French and Italian prunes, 630
Withertip, of Citrus, 318
Wisconsin, 132, 529, 779
Wood pitting, of unbudded citrus seedlings, 916
Woody galls, of Citrus spp., associated with vein-enation virus infection, 580
Wyoming, 779

Xanthomonas campestris, 492

(Xanthomonas) juglandis, 200, 201
--- malvacearum, 189, 200, 201, 800; history, distribution, races and disease cycle of, in California, 603
--- pelargonii, 552
--- phaseoli, 200
--- pruni, 131, 136, 826
--- translucens, 200
--- vesicatoria, 172, 200, 493, 494 552, 587
--- vignicola, 493
Xiphinema, 402
--- americanum, 259, 842
--- radicicola, 842

Yellow leaf blotch, of Medicago sativa, 314
Yellows, of cabbage, 492

Zea mays (see also corn): pyroid (root knot) nemas, 848
Zinc ethylene bisdithiocarbamate see under zineb
Zinc oxide, 334
Zinc sulfate-lime, 826
Zineb (zinc ethylene bisdithiocarbamate), 21, 169, 176, 209, 251, 318, 444, 462, 664, 866, 935, 955
Zingiber mioga: Piricularia spp., 680
--- officinale: Piricularia spp., 680
Ziram (zinc dimethyldithiocarbamate), 21, 218, 251, 415

ERRATA

On page 102, 1st line in last paragraph read Helianthus annuus instead of Helianthus annus.

On page 552, 1st paragraph, 5th and 9th lines read Corynebacterium sepedonicum instead of Corynebacterium sepidonicum.

On page 664, 1st paragraph, 3rd line, read Helianthus annuus instead of Helianthus annus.

On page 771, last paragraph, 5th line read Exitianus exitiosus instead of Exitionus exitiosus.

On page 842 under 2a. read Pratylenchus coffeae instead of Pratylenchus coffea.

See also corrections on pages 373 and 962.

CROPS RESEARCH DIVISION